#### (19) World Intellectual Property Organization International Bureau





(43) International Publication Date 7 February 2002 (07.02.2002)

### PCT

# (10) International Publication Number WO 02/10355 A2

(51) International Patent Classification': C12N 9/00

(21) International Application Number: PCT/DK01/00488

(22) International Filing Date: 12 July 2001 (12.07.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

PA 2000 01160 1 August 2000 (01.08.2000) DK
PA 2000 01354 12 September 2000 (12.09.2000) DK
PA 2000 01687 10 November 2000 (10.11,2000) DK
PA 2001 00655 26 April 2001 (26.04.2001) DK

(71) Applicant: NOVOZYMES A/S [DK/DK]; Krogshøjvej 36, DK-2850 Bagsvænl (DK).

(72) Inventors: THISTED, Thomas; Rongsted Bytory 9, 1, 35, DK-2960 Rongsted Kysi (DK), KJÆRULFF, Søren; Kongsdalsvej 47, DK-2720 Vanløse (DK), ANDERSEN, Carsten; Højeloft Vænge 162, DK-3500 Værløse (DK), FUGLSANG, Claus, Crone; Poppelhøj 43, DK-2990 Nivå (DK).

- (81) Designated States (mational): AE, AG, AL, AM, AF, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, IP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, FL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM). European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR). OAPI patent (BF, BJ, CF, CG, CJ, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### Published:

- without international search report and to be republished upon receipt of that report
- with requence listing part of description published separately in electronic form and available upon request from the International Dureau

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



# Alpha-amylase mutants with altered properties

#### FIELD OF THE INVENTION

The present invention relates to variants (mutants) of parent Termamyl-like alpha-amylases, which variant has alpha-amylase activity and exhibits an alteration in at least one of the following properties relative to said parent alpha-amylase: stability under, e.g., high temperature and/or low pH conditions, in particular at low calcium concentrations. The variant of the invention are suitable for starch conversion, ethanol production, laundry wash, dish wash, hard surface cleaning, textile desizing, and/or sweetner production.

#### BACKGROUND OF THE INVENTION

Alpha-Amylases (alpha-1,4-glucan-4-glucanohydrolases, E.C. 3.2.1.1) constitute a group of enzymes, which catalyze hydrolysis of starch and other linear and branched 1,4-glucosidic oligo- and polysaccharides.

## 20 BRIEF DISCLOSURE OF THE INVENTION

The object of the present invention is to provide Termamyllike amylases which variants in comparison to the corresponding parent alpha-amylase, i.e., un-mutated alpha-amylase, has alpha-amylase activity and exhibits an alteration in at least one of the following properties relative to said parent alpha-amylase: stability under, e.g., high temperature and/or low pH conditions, in particular at low calcium concentrations.

#### 30 Nomenclature

In the present description and claims, the conventional one-letter and three-letter codes for amino acid residues are

used. For ease of reference, alpha-amylase variants of the invention are described by use of the following nomenclature: Original amino acid(s): position(s): substituted amino acid(s)

According to this nomenclature, for instance the substitution of alanine for asparagine in position 30 is shown as:

Ala30Asm or A30N

a deletion of alanine in the same position is shown as:

Ala30\* or A30\*

10 and insertion of an additional amino acid residue, such as lysine, is shown as:

Ala30AlaLys or A30AK

A deletion of a consecutive stretch of amino acid residues, such as amino acid residues 30-33, is indicated as (30-33)\* or  $\Delta(A30-N33)$ .

Where a specific alpha-amylase contains a "deletion" in comparison with other alpha-amylases and an insertion is made in such a position this is indicated as:

\*36Asp or \*36D

20 for insertion of an aspartic acid in position 36.

Multiple mutations are separated by plus signs, i.e.;

Ala30Asp + Glu34Ser or A30N+E34S

representing mutations in positions 30 and 34 substituting alanine and glutamic acid for asparagine and serine, respectively.

When one or more alternative amino acid residues may be inserted in a given position it is indicated as

A30N,E or

A30N or A30E

Furthermore, when a position suitable for modification is identified herein without any specific modification being suggested, it is to be understood that any amino acid residue may be substituted for the amino acid residue present in the

position. Thus, for instance, when a modification of an alanine in position 30 is mentioned, but not specified, it is to be understood that the alanine may be deleted or substituted for any other amino acid, i.e., any one of:

- 5 R,N,D,A,C,Q,E,G,H,I,L,K,M,F,P,S,T,W,Y,V.

  Further, "A30X" means any one of the following substitutions:

  A30R, A30N, A30D, A30C; A30Q, A30E, A30G, A30H, A30I, A30L,

  A30K, A30M, A30F, A30P, A30S, A30T, A30W, A30Y, or A30 V; or
  in short: A30R,N,D,C,Q,E,G,H,I,L,K,M,F,P,S,T,W,Y,V.
- If the parent enzyme used for the numbering already has the amino acid residue in question suggested for substitution in that position the following nomenclature is used:
  - "X30N" or "X30N, V" in the case where for instance one or N or V is present in the wildtype.
- 15 Thus, it means that other corresponding parent enzymes are substituted to an "Asn" or "Val" in position 30.

#### BRIEF DESCRIPTION OF THE DRAWINGS

Pigure 1 is an alignment of the amino acid sequences of five parent Termamyl-like alpha-amylases. The numbers on the extreme left designate the respective amino acid sequences as follows:

- 1: SEQ ID NO: 4 (SP722)
- 2: SEQ ID NO: 2 (SP690)
- 25 3: SEQ ID NO: 10 (BAN)
  - 4: SEQ ID NO: 8 (BLA)
  - 5: SEQ ID NO: 6 (BSG).

#### DETAILED DISCLOSURE OF THE INVENTION

The object of the present invention is to provide Termamyllike amylases, which variants have alpha-amylase activity and exhibits altered stability at high temperatures and/or at low pH, in particular at low calcium concentrations.

á.

Termamyl-like alpha-amylases

A number of alpha-amylases produced by Bacillus spp. are highly homologous (identical) on the amino acid level.

5 The identity of a number of known Bacillus alpha-amylases can be found in the below Table 1:

Table 1

	Percent							
	identity							
	707	AP137	BAN	BSG	SP690	SP722	AA560	Termamy
		8	**					1
707	100.0	86.4	66.9	66.5	87.6	86.2	95.5	68.1
AP1378	86.4	100.0	67.1	68.1	95.1	86.6	86.0	69.4
BAN	66.9	67.1	100.0	65.6	67.1	68.8	66.9	80.7
BSG	66.5	68.1	65.6	100.0	67.9	67.1	66.3	65.4
SP690	87.6	95.1	67.1	67.9	100.0	87.2	87.0	69.2
SP722	86.2	86.6	68.8	67.1	87.2	100.0	86.8	70.8
AA560	95.5	86.0	66.9	66.3	87.0	86.8	100.0	68.3
Terma-	68.1	69.4	80.7	65.4	69.2	70.8	68.3	100,0
myl								

1.0

For instance, the B. licheniformis alpha-amylase comprising the amino acid sequence shown in SEQ ID NO: 8 (commercially available as Termamyl<sup>TM</sup>) has been found to be about 81% homologous with the B. amyloliquefaciens alpha-amylase comprising the amino acid sequence shown in SEQ ID NO: 10 and about 65% homologous with the B. stearothermophilus alpha-amylase (BSG) comprising the amino acid sequence shown in SEQ ID NO: 6. Further homologous alpha-amylases include SP690 and SP722 disclosed in WO 95/26397 and further depicted in SEQ ID NO: 2 and SEQ ID NO: 4, respectively, herein. Other amylases are the AA560 alpha-amylase derived from Bacillus sp. and shown in SEQ ID NO: 12, and the #707 alpha-amylase derived from Bacillus sp., shown in SEQ ID NO: 13 and described by Tsukamoto et al., Biochemical and Biophysical Research Communications, 151 (1988), pp. 25-31.

The KSM AP1378 alpha-amylase is disclosed in WO 97/00324 (from KAO Corporation).

Still further homologous alpha-amylases include the alpha-amylase produced by the B. licheniformis strain described in EP 0252666 (ATCC 27811), and the alpha-amylases identified in WO 91/00353 and WO 94/18314. Other commercial Termamyl-like alpha-amylases are comprised in the products sold under the following tradenames: Optitherm<sup>TM</sup> and Takatherm<sup>TM</sup> (Solvay); Maxamyl<sup>TM</sup> (available from Gist-brocades/Genencor), Spezym AA<sup>TM</sup> 10 and Spezyme Delta AATM (available from Genencor), and Keistase<sup>TM</sup> (available from Daiwa), Dex 10, GC 521 (available from Genencor) and Ultraphlow (from Enzyme Biosystems).

Because of the substantial homology found between these alpha-amylases, they are considered to belong to the same class of alpha-amylases, namely the class of "Termamyl-like alpha-amylases".

Accordingly, in the present context, the term "Termamyllike" alpha-amylase" is intended to indicate an alpha-amylase, in particular Bacillus alpha-amylase, which, at the amino acid level, exhibits a substantial identity to Termamyl<sup>TM</sup>, i.e., the B. licheniformis alpha-amylase having the amino acid sequence shown in SEQ ID NO: 8, herein.

In other words, all the following alpha-amylases, which has the amino acid sequences shown in SEQ ID NOS: 2, 4, 6, 8, 10, 12 and 13 herein are considered to be "Termamyl-like alpha-amylase". Other Termamyl-like alpha-amylases are alpha-amylases i) which displays at least 60%, such as at least 70%, e.g., at least 75%, or at least 80%, at least 85%, at least 90%, at least 95%, at least 97%, at least 99% homology (identity) with at least one of said amino acid sequences shown in SEQ ID NOS: 2, 4, 6, 8, 10, 12, and 13, and/or is encoded by a DNA sequence which hybridizes to the DNA

PCT/DK01/00488

sequences encoding the above-specified alpha-amylases which are apparent from SEQ ID NOS: 1, 3, 5, 7, 9, and of the present specification (which encoding sequences encode the amino acid sequences shown in SEQ ID NOS: 2, 4, 6, 8, 10 and 5 12 herein, respectively).

## Homology

The homology may be determined as the degree of identity between the two sequences indicating a derivation of the first sequence from the second. The homology may suitably be determined by means of computer programs known in the art such as GAP provided in the GCG program package (described above). Thus, Gap GCGv8 may be used with the default scoring matrix for identity and the following default parameters: GAP creation penalty of 5.0 and GAP extension penalty of 0.3, respectively for nucleic acidic sequence comparison, and GAP creation penalty of 3.0 and GAP extension penalty of 0.1, respectively, for protein sequence comparison. GAP uses the method of Needleman and Wunsch, (1970), J.Mol. Biol. 48,

A structural alignment between Termamyl (SEQ ID NO: 8) and, e.g., another alpha-amylase may be used to identify equivalent/corresponding positions in other Termamyl-like alpha-amylases. One method of obtaining said structural alignment is to use the Pile Up programme from the GCG package using default values of gap penalties, i.e., a gap creation penalty of 3.0 and gap extension penalty of 0.1. Other structural alignment methods include the hydrophobic cluster analysis (Gaboriaud et al., (1987), FEBS LETTERS 224, pp. 149-155) and reverse threading (Huber, T; Torda, AE, PROTEIN SCIENCE Vol. 7, No. 1 pp. 142-149 (1998).

7

## Hybridisation

The oligonucleotide probe used in the characterisation of the Termamyl-like alpha-amylase above may suitably be prepared on the basis of the full or partial nucleotide or amino acid sequence of the alpha-amylase in question.

Suitable conditions for testing hybridisation involve presoaking in 5xSSC and prehybridizing for 1 hour at 40°C in a solution of 20% formamide, 5xDenhardt's solution, 50mM sodium phosphate, pH 6.8, and 50mg of denatured sonicated calf thymus followed by hybridisation in the same solution supplemented with 100 mM ATP for 18 hours at 40°C, followed by three times washing of the filter in 2xSSC, 0.2% SDS at 40°C for 30 minutes (low stringency), preferred at 50°C (medium stringency), more preferably at 65°C (high stringency), even 15 more preferably at 75°C (very high stringency). More details about the hybridisation method can be found in Sambrook et al., Molecular Cloning: A Laboratory Manual, 2nd Ed., Cold Spring Harbor, 1989.

In the present context, "derived from" is intended not only
to indicate an alpha-amylase produced or producible by a
strain of the organism in question, but also an alpha-amylase
encoded by a DNA sequence isolated from such strain and produced in a host organism transformed with said DNA sequence.
Finally, the term is intended to indicate an alpha-amylase,
which is encoded by a DNA sequence of synthetic and/or cDNA
origin and which has the identifying characteristics of the
alpha-amylase in question. The term is also intended to
indicate that the parent alpha-amylase may be a variant of a
naturally occurring alpha-amylase, i.e., a variant, which is
the result of a modification (insertion, substitution,
deletion) of one or more amino acid residues of the naturally
occurring alpha-amylase.

8

Parent Termamyl-like Alpha-amylases

According to the invention all Termamy-like alpha-amylases, as defined above, may be used as the parent (i.e., backbone) alpha-amylase. In a preferred embodiment of the invention the parent alpha-amylase is derived from B. licheniformis, e.g., one of those referred to above, such as the B. licheniformis alpha-amylase having the amino acid sequence shown in SEQ ID NO: 8.

10

Parent hybrid Termamyl-like Alpha-amylases

The parent alpha-amylase (i.e., backbone alpha-amylase) may also be a hybrid alpha-amylase, i.e., an alpha-amylase, which comprises a combination of partial amino acid sequences derived from at least two alpha-amylases.

The parent hybrid alpha-amylase may be one, which on the basis of amino acid homology (identity) and/or DNA hybridization (as defined above) can be determined to belong to the Termamyl-like alpha-amylase family. In this case, the hybrid alpha-amylase is typically composed of at least one part of a Termamyl-like alpha-amylase and part(s) of one or more other alpha-amylases selected from Termamyl-like alpha-amylases or non-Termamyl-like alpha-amylases of microbial (bacterial or fungal) and/or mammalian origin.

Thus, the parent hybrid alpha-amylase may comprise a combination of partial amino acid sequences deriving from at least two Termamyl-like alpha-amylases, or from at least one Termamyl-like and at least one non-Termamyl-like bacterial alpha-amylase, or from at least one Termamyl-like and at least one fungal alpha-amylase. The Termamyl-like alpha-amylase from which a partial amino acid sequence derives, may be any of the specific Termamyl-like alpha-amylase referred to herein.

PCT/DK01/00488

For instance, the parent alpha-amylase may comprise a Cterminal part of an alpha-amylase derived from a strain of B. licheniformis, and a N-terminal part of an alpha-amylase derived from a strain of B. amyloliquefaciens or from a strain 5 of B. stearothermophilus. For instance, the parent alphaamylase may comprise at least 430 amino acid residues of the C-terminal part of the B. licheniformis alpha-amylase, and may, e.g., comprise a) an amino acid segment corresponding to the 37 N-terminal amino acid residues of the B. amyloliquefa-10 ciens alpha-amylase having the amino acid sequence shown in SEQ ID NO: 10 and an amino acid segment corresponding to the 445 C-terminal amino acid residues of the B. licheniformis alpha-amylase having the amino acid sequence shown in SEQ ID NO: 8, or a hybrid Termamyl-like alpha-amylase being identical 15 to the Termamyl sequence, i.e., the Bacillus licheniformis alpha-amylase shown in SEQ ID NO: 8, except that the Nterminal 35 amino acid residues (of the mature protein) has been replaced by the N-terminal 33 residues of BAN (mature protein), i.e., the Bacillus amyloliquefaciens alpha-amylase 20 shown in SEQ ID NO: 10; or b) an amino acid segment corresponding to the 68 N-terminal amino acid residues of the B. stearothermophilus alpha-amylase having the amino acid sequence shown in SEQ ID NO: 6 and an amino acid segment corresponding to the 415 C-terminal amino acid residues of the 25 B. licheniformis alpha-amylase having the amino acid sequence shown in SEQ ID NO: 8.

Another suitable parent hybrid alpha-amylase is the one previously described in WO 96/23874 (from Novo Nordisk) constituting the N-terminus of BAN, Bacillus amyloliquefaciens alpha-amylase (amino acids 1-300 of the mature protein) and the C-terminus from Termamyl (amino acids 301-483 of the mature protein).

In a preferred embodiment of the invention the parent Termamyl-like alpha-amylase is a hybrid alpha-amylase of SEQ ID NO: 8 and SEQ ID NO: 10. Specifically, the parent hybrid Termamyl-like alpha-amylase may be a hybrid alpha-amylase 5 comprising the 445 C-terminal amino acid residues of the B. licheniformis alpha-amylase shown in SEQ ID NO: 8 and the 37 N-terminal amino acid residues of the alpha-amylase derived from B. amyloliquefaciens shown in SEQ ID NO: 10, which may suitably further have the following mutations: 10 H156Y+A181T+N190F+A209V+Q264S (using the numbering in SEQ ID NO: 8). The latter mentioned hybrid is used in the examples below and is referred to as LB174.

Other specifically contemplated parent alpha-amylase include LE174 with fewer mutations, i.e., the right above 15 mentioned hydrid having the following mutations: A181T+N190F+A209V+Q264S; N190F+A209V+Q264S; A209V+Q264S; Q264S; H156Y+N190F+A209V+Q264S; H156Y+A209V+Q264S; H156Y+A181T+Q264S; H156Y+Q264S; H156Y+A181T+N190F+Q264S; H156Y+A181T+N190F; H156Y+A181T+N190F+Q264S; H156Y+A181T+N190F; H156Y+A181T+N190F+Q264S; H156Y+A181T+N190F; Description of the invention.

In a preferred embodiment the parent Termamyl-like alpha amylase is LE174, SP722, or AA560 including any of LE174+G48A+T49I+G107A+I201F; LE174+M197L;

- 25 LE174+G48A+T49I+G107A+M197L+I201F, or SP722+D183\*+G184\*; SP722+D183\*+G184\*+N195F; SP722+D183\*+G184\*+M202L; SP722+D183\*+G184\*+N195F+M202L; BSG+I181\*+G182\*; BSG+I181\*+G182\*+N193F; BSG+I181\*+G182\*+M200L; BSG+I181\*+G182\*+N193F+M200L;
- 30 AA560+D183\*+G184\*; AA560+D183\*+G184\*+N195F;
  AA560+D183\*+G184\*+M202L; AA560+D183\*+G184\*+N195F+M202L.

Other parent alpha-amylases contemplated include LE429, which is LE174 with an additional substitution in I201F.

According to the invention LE335 is the alpha-amylase, which in comparison to LE429 has additional substitutions in T49I+G107A; LE399 is LE335+G48A, i.e., LE174, with G48A+T49I+G107A+I201F.

S

#### Altered properties

The following section discusses the relationship between mutations, which are present in variants of the invention, and desirable alterations in properties (relative to those of a parent Termamyl-like alpha-amylase), which may result therefrom.

As mentioned above the invention relates to Termamyl-like alpha-amylases with altered properties (as mentioned above), in particular at high temperatures and/or at low pH, in particular at low calcium concentrations.

In the context of the present invention "high temperature" means temperatures from 70-120°C, preferably 80-100°C, especially 85-95°C.

In the context of the present invention the term "low pH"  $^{20}$  means from a pH in the range from 4-6, preferably 4.2-5.5, especially 4.5-5.

In the context of the present invention the term "high pH" means from a pH in the range from 8-11, especially 8.5-10.6.

In the context of the present invention the term "low calcium concentration" means free calcium levels lower than 60 ppm, preferably 40 ppm, more preferably 25 ppm, especially 5 ppm calcium.

Parent Termamyl-like alpha-amylase specifically contemplated in connection with going through the specifically contemplated altered properties are the above mentioned parent Termamyl-like alpha-amylase and parent hydrid Termamyl-like alpha-amylases.

The Termamyl® alpha-amylase is used as the starting point, but corresponding positions in, e.g., the SP722, BSG, BAN, AA560, SP690, KSM AP1378, and #707 should be understood as disclosed and specifically comtemplated too.

In a preferred embodiment the variant of the invention has in particular at high temperatures and/or at low pH.

In an aspect the invention relates to variant with altered properties as mentioned above.

In the first aspect a variant of a parent Termamyl-like 10 alpha-amylase, comprising an alteration at one or more positions (using SEQ ID NO: 8 for the amino acid numbering) selected from the group of:

49, 60, 104, 132, 161, 170, 176, 179, 180, 181, 183, 200, 203, 204, 207, 212, 237, 239, 250, 280, 298, 318, 374, 385, 393, 15 402, 406, 427, 430, 440, 444, 447, 482, wherein

- (a) the alteration(s) are independently
- (i) an insertion of an amino acid downstream of the amino acid which occupies the position,
- 20 (ii) a deletion of the amino acid which occupies the position, or
  - (iii) a substitution of the amino acid which occupies the position with a different amino acid,
- (b) the variant has alpha-amylase activity and (c) each position corresponds to a position of the amino acid sequence of the parent Termamyl-like alpha-amylase having the amino acid sequence shown in SEQ ID NO: 8.

In Termamyl® (SEQ ID NO: 8) such corresponding positions are:

30 T49; D50; N104; E132; D161; K170; K176; G179; K180; A181; D183; D200; Y203; D204; D207; I212; K237; S239; E250; N280; Q298; L318; Q374; E385; Q393; Y402; H406; L427 D430; V440; N444; E447; Q482.

In SP722 (SEQ ID NO: 4) the corresponding positions are:
T51; D62; N106; D134; D163; Q172; K179; G184; K185; A186;
D188; D205; M208; D209; X212; L217, K242, S244, N255, N285,
S303, M323; D387, N395; Y404; H408; I429; D432; V442; K446;
5 Q449; K484.

Corresponding positions in other parent alpha-amylases can be found by alignment as described above and shown in the alignment in Fig. 1.

In a preferred embodiment the variant of the invention (using SEQ ID NO: 8 (Termamyl\*) for the numbering) has one or more of the following substitutions:

T491; D60N; N104D; E132A,V,P; D161N; K170Q; K176R; G179N; K180T; A181N; D183N; D200N; X203Y; D204S; D207V,E,L,G; X212I; K237P; S239W; E250G,F; N280S; X298Q; L318M; Q374R; E385V; Q393R; Y402F; H406L,W; L427I D430N; V440A; N444R,K; E447Q,K; Q482K.

In a preferred embodiment the variant of the invention (using SEQ ID NO: 4 (SP722) for the numbering) has one or more of the following substitutions:

T511; D62N; N106D; D134A,V,P; D163N; X172Q; K179R; G184N;
20 K185T; A186N; D188N; D205N; M208Y; D209S; X212V,E,L,G; L2171,
K242P, S244W, N255G,F, N285S, S303Q, X323M; D387V, N395R;
Y404F; H408L,W; X429I; D432N; V442A; X446R,K; X449Q,K; X484K,
using SEQ ID NO: 4 (SP722) for the numbering.

Preferred double, triple and multi-mutations - using SEQ ID NO: 8 as the basis for the numbering - are selected from the group consisting of:

T49I+D60N; T49I+D60N+E132A; T49I+D60N+E132V;
T49I+D60N+E132V+K170Q; T49I+D60N+E132A+K170Q;
T49I+D60N+E132V+K170Q+K176R; T49I+D60N+E132A+K170O+K176R;

30 T49I+D60N+E132V+K170Q+K176R+D207V; T49I+D60N+E132A+K170Q+K176R+D207V; T49I+D60N+E132V+K170Q+K176R+D207E; T49I+D60N+E132A+K170Q+K176R+D207E;

T49I+D60N+B132V+K170Q+K176R+D207V+E250G; T49I+D60N+E132A+K170Q+K176R+D207V+E250G; T49I+D60N+E132V+K170Q+K176R+D207E+E250G; T49I+D60N+E132A+K170Q+K176R+D207E+E250G; T49I+D60N+E132V+K170Q+K176R+D207E+E250G+N280S; T49I+D60N+E132A+K170Q+K176R+D207E+E250G+N280S; T49I+D60N+E132V+K170Q+K176R+D207V+E250G+N280S: T49I+D60N+E132A+K170Q+K176R+D207V+E250G+N280S; T49I+D60N+E132V+K170Q+K176R+D207V+E250G+N280S+L318M; 10 T49I+D60N+E132A+K170Q+K176R+D207V+E250G+N280S+L318M; T49I+D60N+E132V+K170Q+K176R+D207E+E250G+N280S+L318M; T49I+D60N+B132A+K170Q+K176R+D207B+E250G+N280S+L318M; T49I+D60N+E132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R; T49I+D60N+E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R; 15 T49I+D60N+E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R; T49I+D60N+E132A+K170Q+K176R+D207B+B250G+N280S+L318M+Q374R; T49I+D60N+E132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+ E385V: T491+D60N+E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+ 20 E385V; T49I+D60N+E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+ E385V; T49I+D60N+E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+ E385V; 25 T49I+D60N+E132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q373R+ E385V+Q393R; T49I+D60N+E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+ E385V+Q393R; T49I+D60N+E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+ 30 E385V+Q393R; T49I+D60N+E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385 V+ 0393R;

T49I+D60N+E132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q373R+ E385V+Q393R+Y402F;

T49I+D60N+E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+ E385V+Q393R+Y402F;

5 T49I+D60N+E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+ E385V+Q393R+Y402F;

T49I+D60N+E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385 V+ Q393R+Y402F;

T49I+D60N+E132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q373R+

10 E385V+Q393R+Y402P+H406L;

T49I+D60N+E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+ E385V+Q393R+Y402F+H406L;

T49I+D60N+E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+ = E385V+Q393R+Y402F+H406L;

15 T49I+D60N+E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385 V+ Q393R+Y402P+H406L;

T49I+D60N+E132V+K170Q+K176R+D207V+B250G+N280S+L318M+Q373R+ E385V+Q393R+Y402F+H406L+L427I;

T49I+D60N+E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+

20 E385V+Q393R+Y402F+H406L+L4271;

T49I+D60N+E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+ E385V+Q393R+Y402F+H406L+L427I;

T491+D60N+E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385 V+ Q393R+Y402F+H406L+L4271;

25 T49I+D60N+E132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q373R+ E385V+Q393R+Y402F+H406L+L427I+V440A;

T49I+D60N+E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+ E385V+Q393R+Y402F+H406L+L427I+V440A;

T491+D60N+B132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+

30 E385V+Q393R+Y402F+H406L+L427I+V440A;

T49I+D60N+E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385 V+ Q393R+Y402F+H406L+L427I+V440A; WO 02/10355

10

D60N+E132A; D60N+E132V; D60N+E132V+K170Q; D60N+E132A+K170Q; D60N+B132V+K170Q+K176R; T49I+D60N+B132A+K170Q+K176R; D60N+E132V+K170Q+K176R+D207V; T49I+D60N+E132A+K170Q+K176R+D207V; 5 D60N+E132V+K170Q+K176R+D207E; T49I+D60N+E132A+K170Q+K176R+D207E; D60N+E132V+K170Q+K176R+D207V+E250G; D50N+E132A+K170Q+K176R+D207V+E250G; D60N+E132V+K170Q+K176R+D207E+E250G; 10 D60N+E132A+K170Q+K176R+D207E+E250G; D60N+E132V+K170Q+K176R+D207V+E250G+N280S; D60N+E132A+K170Q+K176R+D207V+B250G+N280S; D60N+E132V+K170Q+K176R+D207E+E250G+N280S; D60N+E132A+K170Q+K176R+D207B+B250G+N280S; 15 D60N+E132V+K170Q+K176R+D207V+E250G+N280S+L318M; D60N+E132A+K170Q+K176R+D207V+E250G+N280S+L318M; D60N+E132V+K170Q+K176R+D207E+E250G+N280S+L318M; D60N+E132A+K170Q+K176R+D207E+E250G+N280S+L318M; D60N+E132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R; 20 D60N+E132A+K170Q+K176R+D207V+B250G+N280S+L318M+Q374R; D60N+E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R; D60N+E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R; D60N+E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V; D60N+E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V; 25 D60N+E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V; D60N+B132A+K170Q+K176R+D207B+B250G+N280S+L318M+Q374R+B385V; D60N+E132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q373R+ E385V+0393R+Y402F; D60N+E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+ 30 E385V+Q393R+Y402F; D60N+E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+ E385V+Q393R+Y402F;

17

D60N+E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F;

D60N+E132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q373R+ E385V+Q393R+Y402F+H406L:

5 D60N+E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+ E385V+Q393R+Y402F+H406L; D60N+E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+

D60N+E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V+

10 Q393R+Y402F+H406L;

E385V+Q393R+Y402F+H406L;

D60N+E132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q373R+ B385V+Q393R+Y402F+H406L+L427I;

D60N+E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+ E385V+Q393R+Y402F+H406L+L427I;

15 D60N+E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+
E385V+Q393R+Y402F+H406L+L427I;
D60N+E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V+
Q393R+Y402F+H406L+L427I;

D60N+E132V+K170Q+K176R+D207V+E250G+N280S+L318M+O373R+

20 E385V+Q393R+Y402F+H406L+L4271+V440A;
D60N+E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+
E385V+Q393R+Y402F+H406L+L427I+V440A;
D60N+E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+
E385V+Q393R+Y402F+H406L+L427I+V440A;

25 D60N+E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V+ Q393R+Y402F+H406L+L427I+V440A;

E132V+K170Q;

E132A+K170O;

E132V+K170Q+K176R;

E132A+K170Q+K176R;

E132V+K170Q+K176R+D207V; E132A+K170Q+K176R+D207V;

30 E132V+K170Q+K176R+D207E; E132A+K170Q+K176R+D207E; E132V+K170Q+K176R+D207V+E250G; E132A+K170Q+K176R+D207V+E250G; E132V+K170Q+K176R+D207E+E250G; E132A+K170Q+K176R+D207E+E250G;

```
E132V+K170Q+K176R+D207E+E250G+N280S;
   E132A+K170Q+K176R+D207E+E250G+N280S;
   E132V+K170Q+K176R+D207V+E250G+N280S;
   E132A+K170Q+K176R+D207V+E250G+N280S;
 5 E132V+K170Q+K176R+D207V+E250G+N280S+L318M;
   E132A+K170Q+K176R+D207V+E250G+N280S+L318M;
   E132V+K170Q+K176R+D207E+E250G+N280S+L318M;
   E132A+K170Q+K176R+D207E+E250G+N280S+L318M;
   E132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R;
10 E132A+K170Q+K176R+D207V+E250G+N280S+L318N+Q374R;
   E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R;
   E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R;
   E132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+E385V;
   E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+E385V;
15 E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V;
   E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V;
   B132V+K170Q+K176R+D207V+B250G+N280S+L318M+Q373R+B385V+Q393R;
   E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+E385V+Q393R)
   E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V+Q393R;
20 E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V+Q393R;
   B132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q373R+
   E385V+Q393R+Y402F;
   E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+
   E385V+Q393R+Y402F;
25 E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+
   E385V+Q393R+Y402F;
   E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V+
   Q393R+Y402F;
   E132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q373R+
30 E385V+Q393R+Y402F+H405L;
   E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+
   E385V+Q393R+Y402F+H406L;
```

E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+ E385V+Q393R+Y402F+H406L; E132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+B385V+ Q393R+Y402F+H406L; 5 E132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q373R+ E385V+Q393R+Y402F+H406L+L427I; E132A+K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+ E385V+Q393R+Y402F+H406L+L427I; E132V+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+ 10 E385V+Q393R+Y402F+H406L+L427I; E132A+K170Q+K176R+D207E+B250G+N280S+L318M+Q374R+E385V+ Q393R+Y402F+H406L+L427I: E132V+K170Q+K176R+D207V+E250G+N280S+L318M+Q373R+ E385V+Q393R+Y402F+H406L+L427I+V440A; 15 E132A+K170Q+K176R+D207V+B250G+N280S+L318M+Q374R+ B385V+Q393R+Y402F+H406L+L427I+V440A; E132V+K170Q+K175R+D207E+E250G+N280S+L318M+Q374R+ E385V+Q393R+Y402F+H406L+L427I+V440A; B132A+K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V+ 20 Q393R+Y402F+H406L+L427I+V440A; K170Q+K176R; K170Q+K176R+D207V; K170Q+K176R+D207B; K170Q+K176R+D207V+E250G; K170Q+K176R+D207E+E250G; K170Q+K176R+D207V+E250G+N280S; K170Q+K176R+D207E+E250G+N280S; K170Q+K176R+D207E+E250G+N280S+L318M; 25 K170Q+K176R+D207V+E250G+N280S+L318M; K170Q+K176R+D207E+E250G+N280S+L318M+Q374R; K170Q+K176R+D207V+E250G+N280S+L318M+Q374R; K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V; K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+E385V;

30 K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+E385V+Q393R;
K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V+Q393R;
K170Q+K176R+D207V+E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F;
K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F;

K170Q+K176R+D207V+E250G+N280S+L318M+Q373R+385V+Q393R+Y402F+H406 Li. K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+ E385V+Q393R+Y402F+H406L; 5 K170Q+K176R+D207V+E250G+N280S+L318M+Q373R+ E385V+Q393R+Y402F+H406L+L427I; K170Q+K176R+D207B+E250G+N280S+L318M+Q374R+ E385V+Q393R+Y402P+H406L+L4271; K170Q+K176R+D207V+E250G+N280S+L318M+Q373R+ 10 E385V+Q393R+Y402F+H406L+L427I+V440A; K170Q+K176R+D207E+E250G+N280S+L318M+Q374R+ E385V+Q393R+Y402F+H406L+L4271+V440A; K176R+D207V; K176R+D207E; K176R+D207V+E250G; K176R+D207E+E250G; K176R+D207V+E250G+N280S; 15 K176R+D207E+E250G+N280S; K176R+D207E+B250G+N280S+L318M; K176R+D207V+E250G+N280S+L318M; K176R+D207E+E250G+N280S+L318M+Q374R; K176R+D207V+E250G+N280S+L318M+Q374R; K176R+D207E+E250G+N280S+L318M+Q374R+E385V; 20 K176R+D207V+E250G+N280S+L318M+Q374R+E385V; K176R+D207V+E250G+N280S+L318M+Q374R+E385V+Q393R; K176R+D207E+E250G+N280S+L318M+Q374R+E385V+Q393R; K176R+D207V+E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F; K176R+D207E+E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F; 25 K176R+D207V+E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F+H406L; K176R+D207V+E250G+N280S+L318M+Q374R+ B385V+Q393R+Y402F+H406L+L4271; K176R+D207E+B250G+N280S+L318M+Q374R+ E385V+Q393R+Y402F+H406L+L427I; 30 K176R+D207V+E250G+N280S+L318M+Q373R+ E385V+Q393R+Y402F+H406L+L427I+V440A; K176R+D207E+E250G+N280S+L318M+Q374R+

E385V+Q393R+Y402F+H406L+L427I+V440A;

D207V+B250G; D207E+B250G; D207V+E250G+N280S; D207E+E250G+N280S+L318M; D207V+E250G+N280S+L318M;D207E+E250G+N280S+L318M+Q374R; D207V+E250G+N280S+L318M+Q374R; 5 D207E+E250G+N280S+L318M+Q374R+E385V; D207V+E250G+N280S+L318M+Q374R+E385V; D207V+E250G+N280S+L318M+Q374R+E385V+Q393R; D207B+E250G+N280S+L318M+Q374R+E385V+Q393R; D207V+E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F; 10 D207E+E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F; D207V+E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F+H406L; D207E+E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F+H406L; D207V+E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F+H406L+L427I; D207E+E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F+H406L+L427I; 15 D207V+E250G+N280S+L318M+Q374E+E385V+Q393E+Y402F+H406L+L427I+V440 A:D207E+E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F+H406L+L4271+ V440A: E250G+N280S; E250G+N280S+L318M; E250G+N280S+L318M+O374R: 20 E250G+N280S+L318M+Q374R+E385V; E250G+N280S+L318M+Q374R+E385V+Q393R; E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F; E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F+H406L; E250G+N280S+L318M+Q374R+E385V+Q393R+Y402F+H406L+L4271; 25 E250G+N280S+L318M+Q373R+E385V+Q393R+Y402F+H406L+L427I+V440A; N280S+L318M; N280S+L318M+Q374R; N280S+L318M+Q374R+E385V; N2808+L318M+Q374R+E385V+Q393R; NZ80S+L318M+Q374R+B385V+Q393R+Y402P; N280S+L318M+Q374R+E385V+Q393R+Y402F+H406L; 30 N280S+L318M+Q374R+E385V+Q393R+Y402F+H406L+L4271; N280S+L318M+Q374R+E385V+Q393R+Y402F+H406L+L427I+V440A; L318M+Q374R; L318M+Q374R+E385V; L318M+Q374R+E385V+Q393R;

WO 92/19355 PCT/DK91/99488

L318M+Q374R+B385V+Q393R+Y402F;

L318M+Q374R+E385V+Q393R+Y402F+H406L;

L318M+Q374R+E385V+Q393R+Y402F+H406L+L427I;

L318M+Q374R+E385V+Q393R+Y402F+H406L+L427I+V440A;

s Q374R+E385V; Q374R+E385V+Q393R; Q374R+E385V+Q393R+Y402F;

Q374R+E385V+Q393R+Y402F+H406L;

- Q374R+E385V+Q393R+Y402F+H406L+L427I;
- Q374R+E385V+Q393R+Y402F+H406L+L427I+V440A;

E385V+Q393R; E385V+Q393R+Y402F; E385V+Q393R+Y402F+H406L;

10 E385V+Q393R+Y402F+H406L+L427I;

E385V+Q393R+Y402P+H406L+L427I+V440A;

Q393R+Y402F; Q393R+Y402F+H406L; Q393R+Y402F+H406L+L427I;

Q393R+Y402F+H406L+L427I+V440A; Y402F+H406L;

Y402F+H406L+L427I; Y402F+H406L+L427I+V440A; H406L+L427I;

- 15 H406L+L427I+V440A; L427I+V440A;
  - N104D+D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237F+S239W+ H406W+D430N+N444K+B447Q+O482K;
  - D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W+H406W+ D430N+N444K+E447Q+Q482K;
- 20 D161N+A181N+D183N+D200N+D204S+K237P+S239W+H406W+

D430N+N444K+E447Q+Q482K;

D161N+A181N+D183N+D200N+D204S+K237P+S239W+H406W+

D430N+E4470+0482K;

N104D+D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W+

- 25 H406W+D430N+B447Q+Q482K;
  - D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W+H406W+D430N+E447O+O482K;
  - N104D+D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W+ H406W+D430N;
- 30 D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W+H406W+ D430N;

H406W+D430N; N444K+E447Q+Q482K; E447Q+Q482K;

N104D+D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W+

H406W+D430N+N444R+N444K+E447K+Q482K;

D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W+H406W+ D430N+N444R+N444K+E447K+Q482K;

N104D+D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W;

- 5 D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W; H406W+D430N; N444K+E447K+Q482K; E447K+Q482K; N104D+D161N+A181N+D183N+D200N+D204S+K237P+S239W; N104D+D161N+A181N+D183N+D200N+D204S+K237P; N104D+D161N+A181N+D183N+D200N+D204S:
- 10 D161N+A181N+D183N+D200N+D204S+K237P+S239W;
  D161N+A181N+D183N+D200N+D204S+K237P;
  D161N+A181N+D183N+D200N+D204S; K237F+S239W, using SEQ ID NO: 8
  for the numbering.

In a preferred embodiment the variant has the following substitutions: K170Q+D207V+N280S; B132A+D207V; D207E+B250G+H406L+L427I; D207V+L318M; D60N+D207V+L318M; T49I+E132V+V440A; T49I+K176R+D207V+Y402F; Q374R+E385V+Q393R; N190F+A209V+Q264S; G48A+T49I+G107A+I201F; T49I+G107A+I201F; G48A+T49I+G107A; T49I+I201F; T49I+G107A;

20 G48A+T49I;

D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W+H406W+D430N+N444K+B447Q+Q482K using SEQ ID NO: 8 for the numbering. Specific variant include: LE399; LE174+G48A+T49I+G107A; LE174+G48A+T49I+I201F; LE174+G48A+G107A+I201F;

LE174+T49I+G107A+I20IF; LE174+G48A+T49I; LE174+G48A; LE174+G107A+I20IF; LE174+I20IF, are specifically contemplated variants of the invention.

## Stability

In the context of the present invention, mutations (including amino acid substitutions and deletion) of importance with respect to achieving altered stability, in particular improved stability (i.e., higher or lower), at

especially high temperatures (i.e., 70-120°C) and/or extreme pH (i.e. low or high pH, i.e, pH 4-6 or pH 8-11, respectively), in particular at free (i.e., unbound, therefore in solution) calcium concentrations below 60 ppm, include any of the mutations listed in the "Altered properties" section. The stability may be determined as described in the "Materials & Methods" section below.

General mutations in variants of the invention

A variant of the invention may in one embodiment comprise one or more modifications in addition to those outlined above. Thus, it may be advantageous that one or more Proline (Pro) residues present in the part of the alpha-amylase variant which is modified is/are replaced with a non-Proline residue which may be any of the possible, naturally occurring non-Proline residues, and which preferably is an Alanine, Glycine, Serine, Threonine, Valine or Leucine.

Analogously, in one embodiment one or more Cysteine residues present in the parent alpha-amylase may be replaced with a non-Cysteine residue such as Serine, Alanine, Threonine, Glycine, Valine or Leucine.

Furthermore, a variant of the invention may - either as the only modification or in combination with any of the above outlined modifications - be modified so that one or more Asp and/or Glu present in an amino acid fragment corresponding to the amino acid fragment 185-209 of SEQ ID NO: 10 is replaced by an Asn and/or Gln, respectively. Also of interest is the replacement, in the Termamyl-like alpha-amylase, of one or more of the Lys residues present in an amino acid fragment corresponding to the amino acid fragment 185-209 of SEQ ID NO: 10 by an Arg.

It is to be understood that the present invention encompasses variants incorporating two or more of the above outlined modifications.

Furthermore, it may be advantageous to introduce mutations in one or more of the following positions (using SEQ ID NO: 8 (Termamyl) for the numbering):

M15, V128, A111, H133, W138, T149, M197, N188, A209, A210, H405, T412, in particular the following single, double or triple or multi mutations:

10 MISX, in particular MIST, L;

V128X, in particular V128B;

H133X, in particular H133Y;

N188X, in particular N188S, T, P;

M197X, in particular M197T, L;

15 A209X, in particular A209V;
M197T/W138F; M197T/W138Y; M15T/H133Y/N188S;
M15/V128E/H133Y/N188S; E119C/S130C; D124C/R127C; H133Y/T149I;
G475R, H133Y/S187D; H133Y/A209V.

20 Methods for preparing alpha-amylase variants of the invention Several methods for introducing mutations into genes are known in the art. After a brief description of cloning of alpha-amylase-encoding DNA sequences, methods for generating mutations at specific sites within the alpha-amylase-encoding 25 sequence will be discribed.

Cloning a DNA sequence encoding an alpha-amylase

The DNA sequence encoding a parent alpha-amylase may be isolated from any cell or microorganism producing the alpha-amylase in question, using various methods well known in the art. First, a genomic DNA and/or cDNA library should be constructed using chromosomal DNA or messenger RNA from the organism that produces the alpha-amylase to be studied. Then,

if the amino acid sequence of the alpha-amylase is known, homologous, labeled oligonucleotide probes may be synthesized and used to identify alpha-amylase-encoding clones from a genomic library prepared from the organism in question. Alternatively, a labeled oligonucleotide probe containing sequences homologous to a known alpha-amylase gene could be used as a probe to identify alpha-amylase-encoding clones, using hybridization and washing conditions of lower stringency.

Yet another method for identifying alpha-amylase-encoding clones would involve inserting fragments of genomic DNA into an expression vector, such as a plasmid, transforming alpha-amylase-negative bacteria with the resulting genomic DNA library, and then plating the transformed bacteria onto agar containing a substrate for alpha-amylase, thereby allowing clones expressing the alpha-amylase to be identified.

Alternatively, the DNA sequence encoding the enzyme may be prepared synthetically by established standard methods, e.g., the phosphoroamidite method described by S.L. Beaucage and M.H. Caruthers, Tetrahedron Letters 22, 1981, pp. 1859-1869, or the method described by Matthes et al., The EMBO J. 3, 1984, pp. 801-805. In the phosphoroamidite method, oligonucleotides are synthesized, e.g., in an automatic DNA synthesizer, purified, annealed, ligated and cloned in appropriate vectors.

Finally, the DNA sequence may be of mixed genomic and synthetic origin, mixed synthetic and cDNA origin or mixed genomic and cDNA origin, prepared by ligating fragments of synthetic, genomic or cDNA origin (as appropriate, the fragments corresponding to various parts of the entire DNA sequence), in accordance with standard techniques. The DNA sequence may also be prepared by polymerase chain reaction (PCR) using specific primers, for instance as described in US 4,683,202 or R.K. Saiki et al., Science 239, 1988, pp. 487-

## Site-directed mutagenesis

Once an alpha-amylase-encoding DNA sequence has been isolated, and desirable sites for mutation identified, muta-15 tions may be introduced using synthetic oligonucleotides. These cligonuclectides contain nuclectide sequences flanking the desired mutation sites; mutant nucleotides are inserted during oligonucleotide synthesis. In a specific method, a single-stranded gap of DNA, bridging the alpha-amylase-20 encoding sequence, is created in a vector carrying the alphaamylase gene. Then the synthetic nucleotide, bearing the desired mutation, is annealed to a homologous portion of the single-stranded DNA. The remaining gap is then filled in with DNA polymerase I (Klenow fragment) and the construct is 25 ligated using T4 ligase. A specific example of this method is described in Morinaga et al. (1984). US 4,760,025 disclose the introduction of oligonuclectides encoding multiple mutations by performing minor alterations of the cassette. However, an even greater variety of mutations can be introduced at any one 30 time by the Morinaga method, because a multitude oligonucleotides, of various lengths, can be introduced.

Another method for introducing mutations into alphaamylase-encoding DNA sequences is described in Nelson and Long

(1989). It involves the 3-step generation of a PCR fragment containing the desired mutation introduced by using a chemically synthesized DNA strand as one of the primers in the PCR reactions. From the PCR-generated fragment, a DNA fragment carrying the mutation may be isolated by cleavage with restriction endonucleases and reinserted into an expression plasmid.

Alternative methods for providing variants of the invention include gene shuffling, e.g., as described in WO 95/22625

10 (from Affymax Technologies N.V.) or in WO 96/00343 (from Novo Nordisk A/S), or other corresponding techniques resulting in a hybrid enzyme comprising the mutation(s), e.g., substitution(s) and/or deletion(s), in question. Examples of parent alpha-amylases, which suitably may be used for providing a hybrid with the desired mutations(s) according to the invention include the KSM-K36 and KSM-K38 alpha-amylases disclosed in EP 1,022,334 (hereby incorporated by reference).

# Expression of alpha-amylase variants

According to the invention, a DNA sequence encoding the variant produced by methods described above, or by any alternative methods known in the art, can be expressed, in enzyme form, using an expression vector which typically includes control sequences encoding a promoter, operator, ribosome binding site, translation initiation signal, and, optionally, a repressor gene or various activator genes.

The recombinant expression vector carrying the DNA sequence encoding an alpha-amylase variant of the invention may be any vector, which may conveniently be subjected to recombinant DNA procedures, and the choice of vector will often depend on the host cell into which it is to be introduced. Thus, the vector may be an autonomously replicating vector, i.e., a vector which exists as an extrachromosomal entity, the replication of

WO 02/10355

which is independent of chromosomal replication, e.g., a plasmid, a bacteriophage or an extrachromosomal element, minichromosome or an artificial chromosome. Alternatively, the vector may be one which, when introduced into a host cell, is integrated into the host cell genome and replicated together with the chromosome(s) into which it has been integrated.

In the vector, the DNA sequence should be operably connected to a suitable promoter sequence. The promoter may be any DNA sequence, which shows transcriptional activity in the 10 host cell of choice and may be derived from genes encoding proteins either homologous or heterologous to the host cell. Examples of suitable promoters for directing the transcription of the DNA sequence encoding an alpha-amylase variant of the invention, especially in a bacterial host, are the promoter of 15 the lac operon of B.coli, the Streptomyces coelicolor agarase gene dagA promoters, the promoters of the Bacillus licheniformis alpha-amylase gene (amyL), the promoters of the Bacillus stearothermophilus maltogenic amylase gene (amyM), the promoters of the Bacillus amyloliquefaciens alpha-amylase 20 (amyQ), the promoters of the Bacillus subtilis xylA and xylB genes etc. For transcription in a fungal host, examples of useful promoters are those derived from the gene encoding A. oryzae TAKA amylase, Rhizomucor miehei aspartic proteinase, A. niger neutral alpha-amylase, A. niger acid stable alpha-25 amylase, A. niger glucoamylase, Rhizomucor miehei lipase, A. oryzae alkaline protease, A. oryzae triose phosphate isomerase or A. midulans acetamidase.

The expression vector of the invention may also comprise a suitable transcription terminator and, in eukaryotes, poly30 adenylation sequences operably connected to the DNA sequence encoding the alpha-amylase variant of the invention. Termination and polyadenylation sequences may suitably be derived from the same sources as the promoter.

The vector may further comprise a DNA sequence enabling the vector to replicate in the host cell in question. Examples of such sequences are the crigins of replication of plasmids pUC19, pACYC177, pUB110, pE194, pAMB1 and pIJ702.

The vector may also comprise a selectable marker, e.g. a gene the product of which complements a defect in the host cell, such as the dal genes from B. subtilis or B. licheniformis, or one which confers antibiotic resistance such as ampicillin, kanamycin, chloramphenicol or tetracyclin resistance. Furthermore, the vector may comprise Aspergillus selection markers such as amdS, argB, niaD and sC, a marker giving rise to hygromycin resistance, or the selection may be accomplished by co-transformation, e.g., as described in WO 91/17243.

15 While intracellular expression may be advantageous in some respects, e.g., when using certain bacteria as host cells, it is generally preferred that the expression is extracellular. In general, the Bacillus alpha-amylases mentioned herein comprise a preregion permitting secretion of the expressed protease into the culture medium. If desirable, this preregion may be replaced by a different preregion or signal sequence, conveniently accomplished by substitution of the DNA sequences encoding the respective preregions.

The procedures used to ligate the DNA construct of the invention encoding an alpha-amylase variant, the promoter, terminator and other elements, respectively, and to insert them into suitable vectors containing the information necessary for replication, are well known to persons skilled in the art (cf., for instance, Sambrook et al., Molecular Cloning: A Laboratory Manual, 2nd Ed., Cold Spring Harbor, 1989).

The cell of the invention, either comprising a DNA construct or an expression vector of the invention as defined above, is advantageously used as a host cell in the

types of host cells.

WO 02/10355 PCT/DK01/00488

31

recombinant production of an alpha-amylase variant of the invention. The cell may be transformed with the DNA construct of the invention encoding the variant, conveniently by integrating the DNA construct (in one or more copies) in the host chromosome. This integration is generally considered to be an advantage as the DNA sequence is more likely to be stably maintained in the cell. Integration of the DNA constructs into the host chromosome may be performed according to conventional methods, e.g., by homologous or heterologous recombination.

Alternatively, the cell may be transformed with an expression vector as described above in connection with the different

The cell of the invention may be a cell of a higher organism such as a mammal or an insect, but is preferably a microbial cell, e.g., a bacterial or a fungal (including yeast) cell.

Examples of suitable bacteria are Gram-positive bacteria such as Bacillus subtilis, Bacillus licheniformis, Bacillus lentus, Bacillus brevis, Bacillus stearothermophilus, Bacillus acillus alkalophilus, Bacillus amyloliquefaciens, Bacillus coagulans, Bacillus circulans, Bacillus lautus, Bacillus megaterium, Bacillus thuringiensis, or Streptomyces lividans or Streptomyces murinus, or grammegative bacteria such as E.coli. The transformation of the bacteria may, for instance, be effected by protoplast transformation or by using competent cells in a manner known per se.

The yeast organism may favorably be selected from a species of Saccharomyces or Schizosaccharomyces, e.g. Saccharomyces cerevisiae. The filamentous fungus may advantageously belong to a species of Aspergillus, e.g., Aspergillus oryzae or Aspergillus niger. Fungal cells may be transformed by a process involving protoplast formation and transformation of the protoplasts followed by regeneration of the cell wall in a

manner known per se. A suitable procedure for transformation of Aspergillus host cells is described in EP 238 023.

In a yet further aspect, the present invention relates to a method of producing an alpha-amylase variant of the invention, which method comprises cultivating a host cell as described above under conditions conducive to the production of the variant and recovering the variant from the cells and/or culture medium.

The medium used to cultivate the cells may be any conventional medium suitable for growing the host cell in question
and obtaining expression of the alpha-amylase variant of the
invention. Suitable media are available from commercial
suppliers or may be prepared according to published recipes
(e.g., as described in catalogues of the American Type Culture
Collection).

The alpha-amylase variant secreted from the host cells may conveniently be recovered from the culture medium by well-known procedures, including separating the cells from the medium by centrifugation or filtration, and precipitating proteinaceous components of the medium by means of a salt such as ammonium sulphate, followed by the use of chromatographic procedures such as ion exchange chromatography, affinity chromatography, or the like.

# 25 Industrial Applications

The alpha-amylase variants of this invention possess valuable properties allowing for a variety of industrial applications. In particular, enzyme variants of the invention are applicable as a component in washing, dishwashing, and hard surface cleaning detergent compositions.

Variant of the invention with altered properties may be used for starch processes, in particular starch conversion, especially liquefaction of starch (see, e.g., US 3,912,590, EP

patent publications Nos. 252 730 and 63 909, WO 99/19467, and WO 96/28567 all references hereby incorporated by reference). Also contemplated are compositions for starch conversion purposes, which may beside the variant of the invention also comprise a AMG, pullulanase, and other alpha-amylases.

Further, variants of the invention are also particularly useful in the production of sweeteners and ethanol (see, e.g., US patent no. 5,231,017 hereby incorporated by reference), such as fuel, drinking and industrial ethanol, from starch or whole grains.

A variant of the invention may also be used for textile desizing (see, e.g., WO 95/21247, US patent 4,643,736, EP 119,920 hereby in corporate by reference).

#### 15 Detergent compositions

As mentioned above, variants of the invention may suitably be incorporated in detergent compositions. Reference is made, for example, to WO 96/23874 and WO 97/07202 for further details concerning relevant ingredients of detergent compositions (such as laundry or dishwashing detergents), appropriate methods of formulating the variants in such detergent compositions, and for examples of relevant types of detergent compositions.

Detergent compositions comprising a variant of the invention may additionally comprise one or more other enzymes, such as a protease, a lipase, a peroxidase, another amylolytic enzyme, glucoamylase, maltogenic amylase, CGTase and/or a cellulase, mannanase (such as Mannaway\*\* from Novozymes, Denmark)), pectinase, pectine lyase, cutinase, laccase, and/or another alpha-amylase.

Alpha-amylase variants of the invention may be incorporated in detergents at conventionally employed concentrations. It is at present contemplated that a variant of the invention may be

incorporated in an amount corresponding to 0.00001-10 mg (calculated as pure, active enzyme protein) of alpha-amylase per liter of wash/dishwash liquor using conventional dosing levels of detergent.

5

#### Compositions

The invention also related to composition comprising a variant of the invention, and in a preferred embodiment also a B. stearothermophilus alpha-amylase (BSG), in particular a variant thereof.

In another embodient the composition comprises beside a variant of the invention a glucoamylase, in particular a glucoamylase originating from Aspergillus niger (e.g., the G1 or G2 A. niger AMG disclosed in Boel et al. (1984), 15 "Glucoamylases G1 and G2 from Aspergillus niger are synthesized from two different but closely related mRNAs", EMBO J. 3 (5), p. 1097-1102, or a variant therefore, in particular a variant disclosed in WO 00/04136 or WO 01/04273 or the Talaromyces emersonii AMG disclosed in WO 99/28448.

A specific combination is LE399 and a variant disclosed in WO 00/04136 or Wo 01/04273, in particular a variant with ce or more of the following substitutions:

N9A, S56A, V59A, S119P, A246T, N313G, E342T, A393R, S394R, Y402F, E408R, in particular a variant with all mutation.

In an embodiment the composition of the invention also comprises a pullulanase, in particular a Bacillus pullulanase.

#### MATERIALS AND METHODS

## Enzymes:

Bacillus licheniformis alpha-amylase shown in SEQ ID NO: 8 and also available from Novozymes.

5 AA560: SEQ ID NO: 12; disclosed in WO 00/60060; deposited on 25th January 1999 at DSMZ and assigned the DSMZ no. 12549.

AA560 were deposited by the inventors under the terms of the Budapest Treaty on the International Recognition of the Deposit of Microorganisms for the Purposes of Patent Procedure at Deutshe Sammmlung von Microorganismen und Zellkulturen GmbH (DSMZ), Mascheroder Weg 1b, D-38124 Braunschweig DE.

LB medium (In 1 liter H2O: 10 g bacto-tryptone, 5 g bacto-yeast extract, 10 g NaCl, pH adjusted to 7.0 w. NaOH, autoclaved).

TY agar plates (In 1 liter H2O: 16 g bacto-tryptone, 10 g bacto-yeast extract, 5 g NaCl, pH adjusted to 7.0 w. NaOH, and 15 g bacto-agar is added prior to autoclaving).

10% Lugol solution (Todine/Potassium iodine solution; made by 10-fold dil. in H2O of stock: Sigma Cat. no. L 6146).

20 Bacillus subtilis SHA273: see WO 95/10603

#### Plasmids

pDN1528 contains the complete gene encoding Termamyl, amyL, the expression of which is directed by its own promoter.

25 Further, the plasmid contains the origin of replication, ori, from plasmid pUB110 and the cat gene from plasmid pC194 conferring resistance towards chloramphenicol. pDN1528 is shown in Fig. 9 of WO 96/23874.

#### 30 Methods:

Low pH filter assay

Bacillus libraries are plated on a sandwich of cellulose acetate (OE 67, Schleicher & Schuell, Dassel, Germany) - and

nitrocellulose filters (Protran-Ba 85, Schleicher & Schuell, Dassel, Germany) on TY agar plates with 10 micro g/ml chloramphenicol at 37°C for at least 21 hours. The cellulose acetate layer is located on the TY agar plate.

Each filter sandwich is specifically marked with a needle after plating, but before incubation in order to be able to localize positive variants on the filter, and the nitrocellulose filter with bound variants is transferred to a container with citrate buffer, pH 4.5 and incubated at 80°C 10 for 20 minutes (when screening for variants in the wild type backbone) or 85oC for 60 minutes (when screening for variants in the LE399 backbone). The cellulose acetate filters with colonies are stored on the TY-plates at room temperature until use. After incubation, residual activity is detected on assay 15 plates containing 1% agarose, 0.2% starch in citrate buffer, pH 6.0. The assay plates with nitrocellulose filters are marked the same way as the filter sandwich and incubated for 2 hours at 50°C. After removal of the filters the assay plates are stained with 10% Lugol solution. Starch degrading variants 20 are detected as white spots on dark blue background and then identified on the storage plates. Positive variants are rescreened twice under the same conditions as the first screen.

## Secondary screening

Positive transformants after rescreening are picked from the storage plate and tested in a secondary plate assay. Positive transformants are grown for 22 hours at 37°C in 5 ml LB + chloramphenicol. The Bacillus culture of each positive transformant and as a control a clone expressing the corresponding backbone are incubated in citrate buffer, pH 4.5 at 90°C and samples are taken at 0, 10, 20, 30, 40, 60 and 80 minutes. A 3 micro liter sample is spotted on an assay plate.

37

The assay plate is stained with 10% Lugol solution. Improved variants are seen as variants with higher residual activity (detected as halos on the assay plate) than the backbone. The improved variants are determined by nucleotide sequencing.

3

Stability assay of unpurified variants:

Bacillus cultures expressing the variants to be analysed are grown for 21 hours at 37°C in 10 ml LB+chloramphenicol, 800 micro liter culture is mixed with 200 micro 1 citrate buffer, 10 pH 4.5. A number of 70 micro l aliquots corresponding to the number of sample time points are made in PCR tubes and incubated at 70°C (for variants in the wt backbone) or 90°C (for variants in LE399) for various time points (typically 5, 10, 15, 20, 25 and 30 minutes) in a PCR machine. The 0 min 15 sample is not incubated at high temperature. Activity in the sample is measured by transferring 20 micro 1 to 200 micro 1 the alpha-amylase PNP-G7 substrate MPR3 ((Boehringer Mannheim Cat. no. 1660730) as described below under "Assays for Alpha-Amylase Activity". Results are plotted as percentage 20 activity (relative to the 0 time point) versus time, or stated as percentage residual activity after incubation for a certain period of time.

Fermentation and purification of alpha-amylase variants

A B. subtilis strain harbouring the relevant expression plasmid is streaked on a LB-agar plate with 10 micro g/ml kanamycin from -80°C stock, and grown overnight at 37°C. The colonies are transferred to 100 ml PS-1 media supplemented with 10 micro g/ml chloamphinicol in a 500 ml shaking flask.

WO 62/16355 PCT/DK61/00488

Composition of PS-1 medium:

Pearl sugar 100 g/l
Soy Bean Meal 40 g/l
Na2HPO4, 12 H2O 10 g/l
5 PluronicTM PE 6100 0.1 g/l
CaCO3 5 g/l

The culture is shaken at 37°C at 270 rpm for 5 days.

Cells and cell debris are removed from the fermentation broth by centrifugation at 4500 rpm in 20-25 minutes.

Afterwards the supernatant is filtered to obtain a completely clear solution. The filtrate is concentrated and washed on a UF-filter (10000 cut off membrane) and the buffer is changed to 20mM Acetate pH 5.5. The UF-filtrate is applied on a Sepharose F.F. and elution is carried out by step elution with 0.2M NaCl in the same buffer. The eluate is dialysed against 10mM Tris, pH 9.0 and applied on a Q-sepharose F.F. and eluted with a linear gradient from 0-0.3M NaCl over 6 column volumes. The fractions that contain the activity (measured by the Phadebas assay) are pooled, pH was adjusted to pH 7.5 and remaining color was removed by a treatment with 0.5% W/vol. active coal in 5 minutes.

# Stability determination of purified variants

All stability trials of purified variants are made using the same set up. The method is as follows:

The enzyme is incubated under the relevant conditions (1-4). Samples are taken at various time points, e.g., after 0, 5, 10, 15 and 30 minutes and diluted 25 times (same dilution for all taken samples) in assay buffer (0.1M 50mM Britton buffer 9H 7.3) and the activity is measured using the Phadebas assay (Pharmacia) under standard conditions pH 7.3, 37°C.

The activity measured before incubation (0 minutes) is used as reference (100%). The decline in percent is calculated as a

PCT/DK01/00488

39

function of the incubation time. The table shows the residual activity after, e.g., 30 minutes of incubation.

Specific activity determination

The specific activity is determined using the Phadebas assay (Pharmacia) as activity/mg enzyme. The manufactures instructions are followed (see also below under "Assay for  $\alpha$ -amylase activity).

# 10 Assays for Alpha-Amylase Activity

## 1. Phadebas assay

Alpha-amylase activity is determined by a method employing Phadebas® tablets as substrate. Phadebas tablets (Phadebas® Amylase Test, supplied by Pharmacia Diagnostic) contain a cross-linked insoluble blue-colored starch polymer, which has been mixed with bovine serum albumin and a buffer substance and tabletted.

For every single measurement one tablet is suspended in a tube containing 5 ml 50 mM Britton-Robinson buffer (50 mM acetic acid, 50 mM phosphoric acid, 50 mM boric acid, 0.1 mM CaCl2, pH adjusted to the value of interest with NaOH). The test is performed in a water bath at the temperature of interest. The alpha-amylase to be tested is diluted in x ml of 50 mM Britton-Robinson buffer. 1 ml of this alpha-amylase solution is added to the 5 ml 50 mM Britton-Robinson buffer. The starch is hydrolyzed by the alpha-amylase giving soluble blue fragments. The absorbance of the resulting blue solution, measured spectrophotometrically at 620 nm, is a function of the alpha-amylase activity.

It is important that the measured 620 nm absorbance after 10 or 15 minutes of incubation (testing time) is in the range of 0.2 to 2.0 absorbance units at 620 nm. In this absorbance range there is linearity between activity and absorbance

(Lambert-Beer law). The dilution of the enzyme must therefore be adjusted to fit this criterion. Under a specified set of conditions (temp., pH, reaction time, buffer conditions) 1 mg of a given alpha-amylase will hydrolyze a certain amount of substrate and a blue colour will be produced. The colour intensity is measured at 620 nm. The measured absorbance is directly proportional to the specific activity (activity/mg of pure alpha-amylase protein) of the alpha-amylase in question under the given set of conditions.

10

### 2. Alternative method

Alpha-amylase activity is determined by a method employing the PNP-G7 substrate. PNP-G7 which is a abbreviation for p-nitrophenyl-alpha, D-maltoheptaoside is a blocked oligosaccharide which can be cleaved by an endo-amylase. Following the cleavage, the alpha-Glucosidase included in the kit digest the substrate to liberate a free PNP molecule which has a yellow colour and thus can be measured by visible spectophometry at  $\lambda$ =405nm (400-420 nm). Kits containing PNP-G7 substrate and alpha-Glucosidase is manufactured by Boehringer-Mannheim (cat. No.1054635).

To prepare the reagent solution 10 ml of substrate/buffer solution is added to 50 ml enzyme/buffer solution as recommended by the manufacturer. The assay is performed by transferring 20 micro 1 sample to a 95 well microtitre plate and incubating at 25°C. 200 micro 1 reagent solution preequilibrated to 25°C is added. The solution is mixed and preincubated 1 minute and absorption is measured every 30 sec. over 4 minutes at OD 405 nm in an ELISA reader.

The slope of the time dependent absorption-curve is directly proportional to the activity of the alpha-amylase in question under the given set of conditions.

WO 02/10355

PCT/DK01/00488

EXAMPLES

Example 1.

Construction, by error-prone PCR mutagenesis, of Bacillus licheniformis alpha-amylase variants having an improved stability at low pH, high temperature and low calcium ion concentration compared to the parent enzyme.

41

# Error-prone PCR mutagenesis and library construction

To improve the stability at low pH and low calcium

10 Concentration of the parent Bacillus licheniformis alphaamylase, error-prone PCR mutagenesis was performed. The
plasmid pDN1528 encoding the wild-type Bacillus licheniformis
alpha-amylase gene was utilized as template to amplify this
gene with primers: 22149: 5'-CGA TTG CTG ACG CTG TTA TTT GCG
15 3' (SEQID NO: 14) and 24814: 5'-GAT CAC CCG CGA TAC CGT C-3'
(SEQ ID NO: 15) under PCR conditions where increased error
rates leads to introduction of random point mutations. The PCR
conditions utilized were: 10 mM Tris-HCl, pH 8.3, 50 mM KCl, 4

mM MgCl2, 0.3 mM MnCl2, 0.1mM dGTP/dATP, 0.5 mM dTTP/dCTP, and

20 2.5 units Tag polymerase per 100 micro l reaction.

The resultant PCR fragment was purified on gel and used in a PCR-based multimerization step with a gel purified vector fragment created by PCR amplification of pDN1528 with primers #24: 5'-GAA TGT ATG TCG GCC GGC AAA ACG CCG GTG A-3' (SEQ ID NO: 16) and #27: 5'-GCC GCC GCT GCT GCA GAA TGA GGC AGC AAG-3' (SEQ ID NO:17) forming an overlap to the insert fragment. The multimerization reaction was subsequently introduced into B. subtilis (Shafikhani et al., Biotechniques, 23 (1997), 304-310).

30

## Screening

The error-prone library described above was screened in the low pH filter assay (see "Materials & Methods"). Clones

testing positive upon rescreening was submitted to secondary screening for stability in the liquid assay described in Materials and Methods.

### 5 Results:

Increased stability at pH 4.5, 5 ppm calcium incubated at  $90^{\circ}\mathrm{C}$ 

Name	wt	LE488	LE489	7.19.1	8.9.1
Mutations	~	D207V	K170Q	E132A	D207B
			D207V	D207V	E250G
			N280S		H406L
					L427I
Stabilityl	~	*	4.	*	. *
)			•		

<sup>1)</sup> A "+" indicates significant increase in stability relative to wild type.

10 Increased stability at pH 4.5, 5 ppm calcium incubated at  $90^{\circ}\mathrm{C}$ 

Name	wt	LE491	LB492	LE493	LB494	19.3.1
Mutations	m	Deon	7491	TAPI	Q374R	NISOF
,		D207V	E135A	K176R	E385V	A209V
-		L318M	V440A	D207V	Q393R	Q264S
				Y402F		
Stability1)	~	4.	¥:	4.	4	4:

<sup>1)</sup> A "+" indicates significant increase in stability relative to wt.

Increased stability at pH 4.5, 5 ppm calcium incubated at 90°C

Name	wt	E132-1	D207-7	D207-6	E250-8
Mutations	-	B132P	D207L	D207G	E250F
Stabilityl	'.e.e'	*	.*	4	4.
)					

<sup>15 1)</sup> A "+" indicates significant increase in stability relative to wt.

### Example 2

Transfer, by site-directed mutagenesis, of a selection of mutations from Example 1 to a new (non-wild type) backbone to improve stability at low pH and low calcium ion concentration compared to the parent enzyme.

# Site-directed mutagenesis

Mutations from LE493 (K176R+D207V+Y402F) were transferred 10 to LE399 yielding LE495. This was performed by the overlap PCR method (Kirchhoff and Desrosiers, PCR Methods Applications, 2 (1993), 301-304). 2 overlapping PCR fragments were generated by amplification of the LE399 template with the primers: Fragment A: #312 Mut176 5'-CCC GAA AGC TGA ACC GCA 15 TCT ATA GGT TTC AAG GGA AGA CTT GGG ATT-3' (SEQ ID NO: 18) (mutated codon indicated in bold) and #290 D207overlap 5'-AGG ATG GTC ATA ATC AAA GTC GG-3'(SEQ ID NO: 19); Fragment B: #313 Mut207 5'-CCG ACT TTG ATT ATG ACC ATC CTG TTG TCG TAG CAG AGA TTA AGA GAT GGG G-3' (SEQ ID NO: 20) and #314 Mut402 5'-20 CGA CAA TGT CAT GGT GGT CGA AAA AAT CAT GCT GTG CTC CGT ACG-3' (SEQ ID NO: 21). Fragments A and B were mixed in equimolar ratios and subsequently the full-length fragment was amplified with the external primers: #312 Mut176 and #314 Mut402. This fragment was used in a multimerization reaction with the 25 vector PCR fragment created with the primers #296 Y402multi 5'-TTT CGA CCA CCA TGA CAT TGT CG-3' (SEQ ID NO: 22) and #305 399Multi176 5'-TAT AGA TGC GGT TCA GCT TTC GGG-3' (SEQ ID NO: 23) on template LE399 as described above. The multimerization reaction was subsequently transformed into B. subtilis. Clones 30 were screened for stability in the assay mentioned above. The presence of the mutations from LE493 in several clones with increased stability was confirmed by sequencing.

LE 497 was obtained in a similar manner by amplifying the LE399 encoding template with primers #312 Mut176 and #314 Mut402 and using the resulting PCR fragment in a multimerization reaction with a vector fragment obtained by PCR amplification of the LE399 template with the primers #296 Y402multi and #305 399Multi176.

# Results:

Stabilization of LE399 variant at pH 4.5, 5ppm calcium 10 incubated at 90oC

Name	LE399	LE495	LE497
Mutations	(backbone)	K176R D207V Y402F	K176R Y402F
Stability1)		<b></b>	+

<sup>1)</sup> A "+" indicates significant increase in stability relative to backbone.

### CLAIMS

- A variant of a parent Termamyl-like alpha-amylase, comprising an alteration at one or more positions selected from the group of:
  - 49, 60, 104, 132, 161, 170, 176, 179, 180, 181, 183, 200, 203, 204, 207, 212, 237, 239, 250, 280, 298, 318, 374, 385, 393, 402, 406, 427, 430, 440, 444, 447, 482, wherein
- 10 (a) the alteration(s) are independently
  - (i) an insertion of an amino acid downstream of the amino acid which occupies the position,
  - (ii) a deletion of the amino acid which occupies the position, or
- (iii) a substitution of the amino acid which occupies the position with a different amino acid,
- (b) the variant has alpha-amylase activity and (c) each position corresponds to a position of the amino acid sequence of the parent Termamyl-like alpha-amylase having the amino acid sequence shown in SEQ ID NO: 8.
- The variant of claim 1, which variant has one or more of the following mutations: T49I; D60N; N104D; E132A,V,P; D161N; K170Q; K176R; G179N; K180T; A181N; D183N; D200N; X203Y; D204S;
   D207V,E,L,G; X212I; K237P; S239W; E250G,F; N280S; X298Q; L318M; Q374R; E385V; Q393R; Y402F; H406L,W; L427I D430N; V440A; N444R,K; E447Q,K; Q482K using SEQ ID NO: 8 for the numbering.
- 3. The variant of claim 1 or 2, wherein the variant has the
  30 following mutations: K170Q+D207V+N280S; E132A+D207V;
  D207E+E250G+H406L+L427I; D207V+L318M; D60N+D207V+L318M;
  T49I+E132V+V440A; T49I+K176R+D207V+Y402F; Q374R+E385V+Q393R;
  N190F+A209V+Q264S; G48A+T49I+G107A+I201F; T49I+G107A+I201F;

46

G48A+T49I+I201F; G48A+T49I+G107A; T49I+I201F; T49I+G107A; G48A+T49I;

N104D+D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W+ H406W+D430N+N444K+E447Q+Q482K;

5 D161N+G179N+K180T+A181N+D183N+D200N+D2048+K237P+S239W+H406W+ D430N+N444K+E447Q+Q482K;

D161N+A181N+D183N+D200N+D204S+K237F+S239W+H406W+

D430N+N444K+E447Q+Q482K;

D161N+A181N+D183N+D200N+D204S+K237P+S239W+H406W+

10 D430N+E447Q+Q482K;

N104D+D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W+ H406W+D430N+E447Q+Q482K;

D161N+G179N+K180T+A181N+D183N+D200N+D2046+K237P+6239W+H406W+ D430N+E447Q+Q482K;

15 N104D+D161N+G179N+K180T+A181N+D183N+D200N+D2048+K237P+S239W+ H406W+D430N;

D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W+H406W+D430N;

H406W+D430N; N444K+E447Q+Q482K; E447Q+Q482K;

20 N104D+D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W+ H406W+D430N+N444R+N444K+E447K+O482K;

D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W+H406W+ D430N+N444R+N444K+E447K+Q482K;

N104D+D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W;

25 D161N+G179N+K180T+A181N+D183N+D200N+D204S+K237P+S239W; H406W+D430N; N444K+E447K+Q482K; E447K+Q482K;

N104D+D161N+A181N+D183N+D200N+D204S+K237P+S239W;

N104D+D161N+A181N+D183N+D200N+D2048+K237P;

N104D+D161N+A181N+D183N+D200N+D204S;

30 D161N+A181N+D183N+D200N+D2048+K237P+S239W;

D161N+A181N+D183N+D200N+D204S+K237P;

D161N+A181N+D183N+D200N+D204S; K237P+S239W, using SEQ ID NO: 8 for the numbering.

47

WO 02/10355 PCT/DK01/00488

- 4. The variant of any of claims 1-3, wherein the parent Termamyl-like alpha-amylase is derived from a strain of B. licheniformis (SEQ ID NO: 8), B. amyloliquefaciens (SEQ ID NO: 5 10), B. stearothermophilus (SEQ ID NO: 6).
  - 5. The variant of any of claims 1-4, wherein the parent Termamyl-like amylase is any of: LE174; LE174+G48A+T49I+G107A+I20IF; LE174+M197L;
- 10 LE174+G48A+T49I+G107A+M197L+I201F.
- 6. The variant of claim 1, wherein the variant is mutated in one or more of the following positions: T511; D62N; N106D; D134A, V,P; D163N; X172Q; K179R; G184N; K185T; A186N; D188N; D205N; M208Y; D209S; X212V,B,L,G; L2171, K242P, S244W, N255G,F, N285S, S303Q, X323M; D387V, N395R; Y404F; H408L,W; X429I; D432N; V442A; X446R,K; X449Q,K; X484K, using SEQ ID NO: 4 (SP722) for the numbering.
- 7. The variant of claim 1 or 6, wherein the variant has the following mutations: E212V+N2858; D134A+E212V; N255G+H408L+X429I; E212V+X323M; D62N+E212V+X323M; T51I+D134V+V442A; T51I+K179R+E212V+Y404F; D387V+N395R; N195F+X212V+K269S, when using SEQ ID NO: 4 (SP722) for the numbering.
- 8. The variant of any of claims 1-7, wherein the parent Termamyl-like alpha-amylase is selected from the group comprising: SP690 (SEQ ID NO: 2); SP722 (SEQ ID NO: 4; AAS60 (SEQ ID NO: 12); #707 alpha-amylase (SEQ ID NO: 13); KSM-AP1378.

- 9. The variant of any of claims 1-8, wherein the parent Termamyl-like amylase is any of: SP722+D183\*+G184\*; SP722+D183\*+G184\*+N195F; SP722+D183\*+G184\*+M202L; SP722+D183\*+G184\*+N195F+M202L; BSG+I181\*+G182\*;
- 5 BSG+I181\*+G182\*+N193F; BSG+I181\*+G182\*+M200L;
  BSG+I181\*+G182\*+N193F+M200L;
  AA560+D183\*+G184\*; AA560+D183\*+G184\*+N195F;
  AA560+D183\*+G184\*+M202L; AA560+D183\*+G184\*+N195F+M202L.
- 10 10. The variant of any of claims 1-9, wherein the parent Termamyl-like alpha-amylase has an amino acid sequence which has a degree of identity to SEQ ID NO: 8 of at least 60%, preferably 70%, more preferably at least 80%, even more preferably at least about 90%, even more preferably at least 95%, even more preferably at least 95%.
- 11. The variant of any of claims 1-10, wherein the parent Termamyl-like alpha-amylase is encoded by a nucleic acid sequence, which hydridizes under low, preferably medium, preferred high stringency conditions, with the nucleic acid sequence of SEQ ID NO: 7.
- 12. The variant of any of claims 1-11, which variant has altered stability, in particular at high temperatures from 70-25 120°C and/or low pH in the range from pH 4-6
  - 13. A DNA construct comprising a DNA sequence encoding an alpha-amylase variant according to any one of claims 1-12.
- 30 14. A recombinant expression vector which carries a DNA construct according to claim 13.

PCT/DK01/00488

- 15. A cell which is transformed with a DNA construct according to claim 13 or a vector according to claim 14.
- 16. The cell according to claim 15, which is a microorganism, 5 preferably a bacterium or a fungus.
- 17. The cell according to claim 16, which cell is a grampositive bacterium, such as Bacillus subtilis, Bacillus
  licheniformis, Bacillus lentus, Bacillus brevis, Bacillus
  stearothermophilus, Bacillus alkalophilus, Bacillus
  amyloliquefaciens, Bacillus coagulans, Bacillus circulans,
  Bacillus lautus or Bacillus thuringiensis.
- 18. A composition comprising an alpha-amylase variant of any 15 of claims 1-12.
  - 19. The composition of claim 18, further comprising a B. stearothermophilus (BSG) alpha-amylase, in particular SP961, particular in a ratio of 1:10 to 10:1, preferably 1:2.

30

- 20. The composition of claim 18 or 19, wherein the composition further comprises a glucoamylase, pullulanase and/or a phytase.
- 25 21. A detergent composition comprising an alpha-amylase variant according to any of claims 1-12.
- 22. A detergent composition of claim 21, which additionally comprises another enzyme such as a protease, a lipase, a peroxidase, another amylolytic enzyme, glucoamylase, maltogenic amylase, CGTase, mannanase, cutinase, laccase and/or a cellulase.

50

- 23. Use of an alpha-amylase variant according to any of claims 1-12 or a composition according to any of claims 18-20 for starch liquefaction.
- 5 24. Use of an alpha-amylase variant according to any of claims 1-12 or a composition according to claims 18-20 for ethanol production.
- 25. Use of an alpha-amylase variant according to any one of claims 1-12 or a composition according to claims 18-20 for washing and/or dishwashing.
- 26. Use of an alpha-amylase variant of any one of claims 1-12 or a composition according to claims 18-20 for textile 15 desizing.

15

# 1/3

	1				50
1	HHNGTNGTMM	QYFEWHLPND	GNHWNRLRDD	ASNLRNRGIT	AIWIPPAWKG
2	HHNGTNGTMM	QYFEWYLFND	GNHWNRLRDD	AANLKSKGIT	AVWIPPAWKG
3	VNGTLM	QYFEWYTPND	GQHWKRLQND	AEHLSDIGIT	AVWIPPAYKG
4	ANLNGTLM	QYFEWYMPND	GQHWRRLQND	SAYLABHGIT	AVWIPPAYKG
5	.AAPFNGTMM	QYFEWYLPDD	GTLWTKVANE	ANNLSSLGIT	ALWLPPAYKG
	51				100
1	TSQNDVGYGA	YDLYDLGEFN	QKGTVRTKYG	TRSQLESAIH	ALKNNGVQVY
2	TSQNDVGYGA	YDLYDLGEFN	QKGTVRTKYG	TRNQLQAAVT	SLKNNGIQVY
3	LSQSDNGYGP	YDLYDLGEFQ	QKGTVRTKYG	TKSELQDAIG	SLHSRNVQVY
4	TSQADVGYGA	YDLYDLGEFH	QKGTVRTKYG	TKGELQSAIK	SLHSRDINVY
5	TSRSDVGYGV	YDLYDLGEFN	QKGTVRTKYG	TKAQYLQAIQ	AAHAAGMQVY
	101			i,	150
1	GDVVMNHKGG	ADATENVLAV	EVNPNNRNQE	ISGDYTIEAW	TKFDFPGRGN
2	GDVVMNHKGG	ADGTEIVNAV	EVNRSNRNQE	TSGEYAIEAW	TKFDFPGRGN
3	GDVVLNHKAG	ADATEDVTAV	EVNPANRNQE	TSEEYQIKAW	TDFRFPGRGN
4	GDVVINHKGG	ADATEDVTAV	EVDPADRNRV	ISGEHLIKAW	THPHPPGRGS
5	ADVVFDHKGG	ADGTEWVDAV	EVNPSDRNQE	ISGTYQIQAW	TKFDFPGRGN
	151				200
1	TYSDFKWRWY	HFDGVDWDQS	RQFQNRIYKF	RGDGKAWDWE	VDSENGNYDY
2	NHSSPKWRWY	HFDGTDWDQS	RQLQNKIYKP	RGTGKAWDWE	VDTENGNYDY
3	TYSDFKWHWY	HFDGADWDES	RKI.SRIFKF	RGEGKAWDWE	VSSENGNYDY
4	TYSDFKWHWY	HFDGTDWDES	RKL.NRIYKF	QGKAWDWE	VSNENGNYDY
5	TYSSFKWRWY	HFDGVDWDES	RKL.SRIYKF	RGIGKAWDWE	VDTENGNYDY

Fig. 1

# 2/3

	201				250
1	LMYADVDMDH	PEVVNELRRW	GEWYTNTINI	DGFRIDAVKH	IKYSPTRDWL
2	LMYADVDMDH	PEVIHELRNW		DGFRIDAVKH	IKYSFTRDWL
3	LMYADVDYDH	PDVVAETKKW	GIWYANELSL		IKFSFLRDWV
4	LMYADIDYDH	PDVAAEIKRW	GTWYANELOL		IKFSFLRDWV
5	LMYADLDMDH	PEVVTELKNW	GKWYVNTTNI	DGFRLDAVKH	IKFSFFPDWL
	min our and minute see an		200 01 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	many reminer to a such	her hoper white or me mile and
	251				300
1	THVRNATGKE	MFAVAEFWKN	DLGALENYLN	KTNWNHSVFD	VPLHYNLYNA
2	THVRNTTGKP	MFAVAEFWKN	DLGAIENYLN	KTSWNHSAFD	VPLHYNLYNA
3	QAVRQATGKE	MFTVAEYWQN	NAGKLENYLN	KTSFNQSVFD	VPLHFNLQAA
4	NHVREKIGKE	MFTVAEYWQN	DLGALENYLN	KTNFNHSVFD	VPLHYQFHAA
5	SYVRSQTGKP	LFTVGEYWSY	DINKLHNYIT	KTDGTMSLFD	APLHNKFYTA
	301		4		350
1	SNSGGNYDMA	KLINGTVVQK	HPMHAVTFVD	NHDSQPGESL	ESFVQEWFKP
2	SNSGGYYDMR	${\tt NIIMGSVVQK}$	HPTHAVTFVD	NHDSQPGEAL	ESFVQQWFKP
3	SSQGGGYDMR	RLLDGTVVSR	HPEKAVTFVE	NHDTQPGQSL	ESTVQTWFKP
4	STQGGGYDMR	KLLNGTVVSK	HPLKSVTFVD	NHDTQPGQSL	ESTVQTWFKP
5	SKSGGAFDMR	TLMTNTLMKD	QPTLAVTFVD	NHDTEPGQAL	QSWVDPWFKP
	351				400
1	LAYALILTRE	QGYPSVFYGD	YYGIPTHS	.VPAMKAKID	PILEARQNFA
2	LAYALVLTRE	QGYPSVFYGD	YYGIPTHG	.VPAMKSKID	PLLQARQTFA
3	LAYAFILTRE	SGYPQVFYGD	MYGTKGTSPK	EIPSLKONIE	PILKARKEYA
4	LAYAFILTRE	SGYPQVFYGD	MYGTKGDSQR	EIPALKHKIE	PILKARKQYA
5	LAYAFILTRQ	EGYPCVFYGD	YYGIPQYN	.IPSLKSKID	PLLIARRDYA
	401				450
1.	YGTQHDYFDH		NTTHPNSGLA		KWMYVGQNKA
2	The second of the second of the second	HDIIGWTREG			KWMYVGKNKA
3		PDVIGWTREG		ALITDGPGGS	KRMYAGLKNA
4	YGAQHDYFDH		DSSVANSGLA		KRMYVGRQNA
5	YGTQHDYLDH	SDIIGWTREG	GTEKPGSGLA	ALITDGPGGS	KWMYVGKQHA

Fig. 1 (continued)

WO 62/16355 PCT/DK61/06488

# 3/3

	451				500
1	GQVWHDITGN	KPGTVTINAD	GWANFSVNGG	SVSIWVKR	*******
2			GWGNFSVNGG		
3	GETWYDITGN	RSDTVKIGSD	GWGEFHVNDG	SVSIYVQ	* * * * * * * * * * *
4.	GETWHDITGN	RSEPVVINSE	GWGEFHVNGG	SVSIYVQR	* * * * * * * * * *
5	GKVFYDLTGN	RSDTVTINSD	GWGEFKVNGG	SVSVWVPRKT	TVSTIARPIT
	501	51:	9		
1	والإرمالية فالمراجع والمراجع				
2	*******	* * * * * * * * * *			
3	(4) x (6) 4 (8) 6 (4) 6 (8)	******			
4	*****	******			
S	TRPWTGEFVR	WTEPRLVAW			

Fig. 1 (continued)

SEQUENCE LISTING

								SEC	UENC	ie Li	ESTIN	łG.				
			STIN		A/5											
<1.2	0>															
<13	0>											ą.				
<16	0> 2	8		4			7									
<17	0> P	aten	tIn	ver.	2.1											
<21 <21	0> 1 1> 1 2> D 3> 8	455 NA	lus	sp.												
<22	1> C 2> (		(145	5)			6						*.			
	0> 1	20.20.20	aas	2000	**	is east.	مارجم تودر					3.52			S S	<b>70</b>
His	His	Asn	Ğİy	Thr	Asn	ĕĭy	Thr	Met	Met 10	Gln	Tyr	Phe	gaa Glu	Tgg Trp 15	tat Tyr	48
ttg Leu	cca Pro	aat Asn	gac Asp 20	999 61y	aat Asn	cat His	tgg Trp	aac Asn 25	agg Arg	ttg Leu	agg Arg	gat Asp	gac Asp 30	gca Ala	gct Ala	96
aac Asn	tta Leu	aag Lys 35	agt Ser	aaa Lys	ggg Gly	ata Ile	aca Thr 40	gct Ala	gta Val	tgg Trp	atc Ile	cca Pro 45	Pro	gca Ala	tgg Trp	144
aag Lys	999 61y 50	act Thr	tcc ser	cag Gln	aat Asn	gat Asp 55	gta val	ggt Gly	tat Tyr	gga Gly	gcc Ala 60	tat Tyr	gat Asp	tta Leu	tat Tyr	192
gat Asp 65	ctt Leu	gga Gly	gag Glu	ttt Phe	aac Asn 70	cag G1n	aag Lys	ggg Gly	acg Thr	gtt Val 75	cgt Arg	aca Thr	aaa Lys	tat Tyr	gga Gly 80	240
aca Thr	cgc Arg	aac Asn	cag Gìn	cta Leu 85	cag Gln	gct Ala	gcg Ala	gtg Val	acc Thr 90	Ser	tta Leu	aaa Lys	aat Asn	aac Asn 95	ggc Gly	288
att	cag Gln	gta Val	tat Tyr 100	ggt Gly	gat Asp	gtc Val	gtc Val	atg Met 105	aat Asn	cat His	aaa Lys	ggt Gly	992 61y 110	gca Ala	gat Asp	336
ggt Gly	acg Thr	gaa Glu 115	att Ile	gta Val	aat Asn	gcg Ala	gta Val 120	gaa Glu	gtg Val	aat Asn	cgg Arg	agc Ser 125	aac Asn	cga Arg	aac Asn	384
cag Gln	gaa Glu 130	acc Thr	tca Ser	gga Gly	G lu	tat Tyr 135	gca Ala	ata Ile	gaa Glu	gcg Ala	tgg Trp 140	aca Thr	aag Lys	ttt Phe	gat Asp	432
ttt Phe 145	cct Pro	gga Gly	aga Arg	gga Gly	aat Asn 150	aac Asn	cat His	tcc Ser	agc Ser	ttt Phe 155	aag Lys	tgg Trp	cgc Arg	tgg Trp	tat Tyr 160	480
cat His	ttt Phe	gat Asp	ggg Gly	aca Thr 165	gat Asp	tgg Trp	gat Asp	cag Gin	tca ser 170	cgc Arg	cag Gln	ctt Leu	caa Gln	aac Asn 175	aaa Lys	228
ata	tat	aaa	ttc	agg	gga	aca	ggc	aag		tgg ge 1	gac	tgg	gaa	gtc	gat	576

Ile	Туг	Lys	Phe 180	Arg	Gly	Thr	Gly	SEQ Lys 185	NENC Ala	E LI Trp	STIN Asp	ig Trp	Glu 190		Asp	
aca Thr	gag Glu	aat Asn 195	ggc Gly	aac Asn	tat Tyr	gac Asp	tat Tyr 200	Leu	atg Met	tat Tyr	gca Ala	gac Asp 205	gtg Val	gat Asp	atg Met	624
gat Asp	cac His 210	cca Pro	gaa Glu	gta Val	ata Ile	cat His 215	gaa Glu	ctt Leu	aga Arg	aac Asn	tgg Trp 220	gga Gly	gtg Val	tgg Trp	tat Tyr	672
acg Thr 225	aat Asn	aca Thr	ctg Leu	aac Asn	ctt Leu 230	gat Asp	gga Gly	ttt Phe	aga Arg	ata Ile 235	gat Asp	gca Ala	gtg Val	aaa Lys	cat His 240	720
ata Ile	aaa Lys	tat Tyr	ser	ttt Phe 245	acg Thr	aga Arg	gat Asp	tgg Trp	ctt Leu 250	aca Thr	cat His	gto Val	cgt Arg	aac Asn 255	acc Thr	768
aca Thr	ggt Gly	aaa Lys	cca Pro 260	atg Met	ttt Phe	gca Ala	gtq Val	gct Ala 265	gag Glu	ttt Phe	tgg Trp	aaa Lys	aat Asn 270	gac Asp	ctt Leu	816
ggt Gly	gca Ala	att Ile 275	gaa Glu	aac Asn	tat Tyr	ttg Leu	aat Asn 280	aaa Lys	aca Thr	agt Ser	tgg Trp	aat Asn 285	cac His	tcg Ser	gto Val	864
ttt Phe	gat Asp 290	gtt Val	cct Pro	ctc Leu	cac His	tat Tyr 295	aat Asn	ttg Leu	tac Tyr	aat Asn	gca Ala 300	tct Ser	aat Asn	agc Ser	ggt Gly	912
ggt 61y 305	tat Tyr	tat Tyr	gat Asp	atg Met	aga Arg 310	aat Asn	att Ile	tta Leu	aat Asn	ggt Gly 315	tct Ser	gtg Val	gtg Val	caa Gln	aaa Lys 320	960
cat His	cca Pro	aca Thr	cat His	gcc Ala 325	gtt Val	act Thr	ttt Phe	gtt Val	gat Asp 330	aac Asn	cat His	gat Asp	tct Ser	cag Gln 335	ccc Pro	1008
ggg Gly	gaa Glu	gca Ala	ttg Leu 340	gaa Glu	tcc Ser	ttt Phe	gtt Val	caa Gln 345	caa Gln	tgg Trp	ttt Phe	aaa Lys	cca Pro 350	ctt Leu	gca Ala	1056
tat Tyr	gca Ala	ttg Leu 355	gtt val	ctg Leu	aca Thr	agg Arg	gaa Glu 360	caa Gln	ggt Gly	tat Tyr	cct Pro	tcc Ser 365	gta Val	ttt Phe	tat Tyr	1104
999 61y	gat Asp 370	tac Tyr	tac Tyr	ggt Gly	atc Ile	cca Pro 375	acc Thr	cat His	ggt Gly	gtt Val	ccg Pro 380	gct Ala	atg Met	aaa Lys	tct Ser	1152
aaa Lys 385	ata Ile	gac Asp	cct Pro	ctt Leu	ctg Leu 390	cag Gln	gca Ala	cgt Arg	caa Gln	act Thr 395	ttt Phe	gcc Ala	tat Tyr	ggt Gly	acg Thr 400	1200
cag Gin	cat His	gat Asp	tac Tyr	ttt Phe 405	gat Asp	cat His	cat His	Asp	att Ile 410	atc Ile	ggt Gly	tgg Trp	Thr	aga Arg 415	gag Glu	1248
gga Gly	aat Asn	agc ser	tcc Ser 420	cat His	cca Pro	aat Asn	tca Ser	ggc Gly 425	ctt Leu	gcc Ala	acc Thr	att Ile	atg Met 430	tca Ser	gat Asp	1296
ggt Gly	1.5	ggt 61y 435	ggt Gly	aac Asn	aaa Lys	$\Theta \mathcal{P}$	atg Met 440	tat Tyr	gtg Val	ggg Gly	r.ys	aat Asn 445	aaa Lys	gcg Ala	gga Gly	1344
caa	gtt	tgg	aga	gat	att.	acc	gga	aat		aca e 2	ggc	acc	gtc	aca	att	1392

WO 92/19355 PCT/DK91/99488

SEQUENCE LISTING

Gln Val Trp Arg Asp Ile Thr Gly Asn Arg Thr Gly Thr Val Thr Ile

450

455

460

aat gca gac gga tgg ggt aat ttc tct gtt aat gga ggg tcc gtt tcg 1440 Asn Ala Asp Gly Trp Gly Asn Phe Ser Val Asn Gly Gly Ser Val Ser 465 470 480

gtt tgg gtg aag caa Val Trp Val Lys Gln 485

1455

<210> 2 <211> 485 <212> PRT <213> Bacillus sp.

His His Asn Gly Thr Asn Gly Thr Met Met Gln Tyr Phe Glu Trp Tyr Leu Pro Asn Asp Gly Asn His Trp Asn Arg Leu Arg Asp Asp Ala Ala 20 25 30 Asn Leu Lys Ser Lys Gly Ile Thr Ala Val Trp Ile Pro Pro Ala Trp 35 40 Lys Gly Thr Ser Gln Asn Asp Val Gly Tyr Gly Ala Tyr Asp Leu Tyr 50 55 Asp Leu Gly Glu Phe Asn Gln Lys Gly Thr Val Arg Thr Lys Tyr Gly
65 70 75 80 Thr Arg Asm Glm Leu Glm Ala Ala Val Thr Ser Leu Lys Asm Asm Gly 85 90 95 Ile Gîn Val Tyr Gly Asp Val Val Met Asn His Lys Gly Gly Ala Asp 100 105 110 Gly Thr Glu Ile Val Asn Ala Val Glu Val Asn Arg Ser Asn Arg Asn 115 Gln Glu Thr Ser Gly Glu Tyr Ala Ile Glu Ala Trp Thr Lys Phe Asp 130 140 Phe Pro Gly Arg Gly Asn Asn His Ser Ser Phe Lys Trp Arg Trp Tyr 145 150 155 His Phe Asp Gly Thr Asp Trp Asp Gln Ser Arg Gln Leu Gln Asn Lys 165 170 175 Ile Tyr Lys Phe Arg Gly Thr Gly Lys Ala Trp Asp Trp Glu Val Asp 180 185 190 Thr Glu Asn Gly Asn Tyr Asp Tyr Leu Met Tyr Ala Asp Val Asp Met 195 200 205 Asp His Pro Glu Val Ile His Glu Leu Arg Asn Trp Gly Val Trp Tyr 210 215 220 Thr Asn Thr Leu Asn Leu Asp Gly Phe Arg Ile Asp Ala Val Lys His 225 230 235 240 Ile Lys Tyr Ser Phe Thr Arg Asp Trp Leu Thr His val Arg Asn Thr 245 250 255 Thr Gly Lys Pro Met Phe Ala Val Ala Glu Phe Trp Lys Asn Asp Leu 260 270

### SEQUENCE LISTING

Gly Ala Ile Glu Asn Tyr Leu Asn Lys Thr Ser Trp Asn His Ser Val 275 280 285 Phe Asp Val Pro Leu His Tyr Asn Leu Tyr Asn Ala Ser Asn Ser Gly 290 295 300 Gly Tyr Tyr Asp Met Arg Asn Ile Leu Asn Gly Ser Val Val Gln Lys 305 310 320 His Pro Thr His Ala Val Thr Phe Val Asp Asn His Asp Ser Gln Pro 325 330 335 Gly Glu Ala Leu Glu Ser Phe Val Gln Gln Trp Phe Lys Pro Leu Ala 340 345 350 Tyr Ala Leu Val Leu Thr Arg Glu Gln Gly Tyr Pro Ser Val Phe Tyr 355 360 365 Gly Asp Tyr Tyr Gly Ile Pro Thr His Gly Val Pro Ala Met Lys Ser 370 380 Lys Ile Asp Pro Leu Leu Gln Ala Arg Gln Thr Phe Ala Tyr Gly Thr 385 390 395 400 Glo His Asp Tyr Phe Asp His His Asp Ile Ile Gly Trp Thr Arg Glu 405 410 415 Gly Asn Ser Ser His Pro Asn Ser Gly Leu Ala Thr Ile Met Ser Asp 420 425 430 Gly Pro Gly Gly Asn Lys Trp Met Tyr Val Gly Lys Asn Lys Ala Gly
435
445 Gln Val Trp Arg Asp Ile Thr Gly Asn Arg Thr Gly Thr Val Thr Ile 450 455 Asn Ala Asp Gly Trp Gly Asn Phe Ser Val Asn Gly Gly Ser Val Ser 465 470 475 480 Val Trp Val Lys Gli

<210> 3 <211> 1455 <212> DNA <213> Bacillus sp. <220> <221> CDS <222> (1)..(1455) <223> SP722 <400> 3 cat cat aat ggg aca aat ggg acg atg atg caa tac ttt gaa tgg cac His His Asn Gly Thr Asn Gly Thr Met Met Gln Tyr Phe Glu Trp His 1 5 10 48 ttg cct aat gat ggg aat cac tgg aat aga tta aga gat gat gct agt 96 Leu Pro Asn Asp Gly Asn His Trp Asn Arg Leu Arg Asp Asp Ala Ser aat cta aga aat aga ggt ata acc gct att tgg att ccg cct gcc tgg Asn Leu Arg Asn Arg Gly Ile Thr Ala Ile Trp Ile Pro Pro Ala Trp 35 40 144

40

								نزيبو پدو	o osses	ngan ging	- Section 100 S					
aaa Lys	ggg G1y 50	act Thr	tcg Ser	caa Gln	aat Asn	gat Asp SS	gtq Val	ggg Gly	wenc tat Tyr	E LI gga Gly	STIN gcc Ala 60	tat Tyr	gat Asp	ctt Leu	tat Tyr	192
gat Asp 65	tta Leu	999 61y	gaa Glu	ttt Phe	aat Asn 70	caa Gln	aag Lys	ggg Gly	acg Thr	gtt Val 75	cgt Arg	act Thr	aag Lys	tat Tyr	999 61y 80	240
aca Thr	cgt Arg	agt Ser	caa Gln	ttg Leu 85	gag Glu	tct Ser	gcc Ala	atc	cat His 90	Ala	tta Leu	aag Lys	aat Asn	aat Asn 95	ggc Gly	288
gtt Val	caa Gln	gtt Val	tat Tyr 100	999 61y	gat Asp	gta Val	gto Val	atg Met 105	aac Asn	cat His	aaa Lys	gga Gly	gga Gly 110		gat Asp	336
gct Āla	aca Thr	gaa Glu 115	aac Asn	gtt Val	ctt Leu	gct Ala	gtc Val 120	gag Glu	gtg Val	aat Asn	cca Pro	aat Asn 125	aac Asn	cgg Arg	aat Asn	384
caa Gln	9aa 61u 130	ata Ile	tct Ser	999 Gly	gac Asp	tac Tyr 135	aca Thr	att	gag Glu	gct Ala	tgg Trp 140	act Thr	aag Lys	ttt Phe	gat Asp	432
ttt Phe 145	cca Pro	999 61y	agg Arg	ggt Gly	aat Asn 150	aca Thr	tac Tyr	tca Ser	gac Asp	ttt Phe 155	aaa Lys	tgg Trp	cgt Arg	tgg Trp	tat Tyr 160	480
cat His	ttc Phe	gat Asp	ggt Gly	gta Val 165	gat Asp	tgg Trp	gat Asp	caa Gln	tca Ser 170	cga Arg	caa Gln	ttc Phe	caa Gìn	aat Asn 175	cgt Arg	528
atc Ile	tac Tyr	aaa Lys	ttc Phe 180	cga Arg	gat Gly	gat Asp	ggt Gly	aag Lys 185	gca Ala	tgg Trp	gat Asp	tgg Trp	gaa Glu 190	gta Val	gat Asp	576
tcg Ser	gaa Glu	aat Asn 195	gga Gly	aat Asn	tat Tyr	gat Asp	tat Tyr 200	tta Leu	atg Met	tat Tyr	gca Ala	gat Asp 205	gta Val	gat Asp	atg Met	624
gat Asp	cat His 210	ccg Pro	gag Glu	gta Val	gta Val	aat Asn 215	gag Glu	Ctt Leu	aga Arg	aga Arg	tgg Trp 220	gça Ğİy	gaa Glu	tgg Trp	tat Tyr	672
aca Thr 225	aat Asn	aca Thr	tta Leu	aat Asn	ctt Leu 230	gat Asp	gga Gly	ttt Phe	agg Arg	atc Ile 235	gat Asp	gcg Ala	gtg Val	aag Lys	cat His 240	720
att Ile	aaa Lys	tat Tyr	agc Ser	ttt Phe 245	aca Thr	cgt Arg	gat Asp	tgg Trp	ttg Leu 250	acc Thr	cat His	gta Val	aga Arg	aac Asn 255	gca Ala	768
acg Thr	gga Gly	aaa Lys	gaa Glu 260	atg Met	ttt Phe	gct Ala	gtt Val	gct Ala 265	gaa Glu	ttt Phe	tgg Trp	aaa Lys	aat Asn 270	gat Asp	tta Leu	816
ggt Gly	gcc Ala	ttg Leu 275	gag Glu	aac Asn	tat Tyr	tta Leu	aat Asn 280	aaa Lys	aca Thr	aac Asn	tgg Trp	aat Asn 285	cat His	tct Ser	gtc Val	864
4.00	gat Asp 290	gtc Val	ccc Pro	ctt Leu	83.2	tat Tyr 295	aat Asn	ctt Leu	tat Tyr	aac Asn	gcg Ala 300	tca Ser	aat Asn	agt Ser	gga Gly	912
ggc Gly 305	aac Asn	tat Tyr	gac Asp	atg Met	gca Ala 310	aaa Lys	ctt Leu	ctt Leu	aat Asn	gga G1y 315	acg Thr	gtt Val	gtt Vaï	caa Gln	aag Lys 320	960

cat His	cca Pro	atg Met	cat His	gcc Ala	gta Val	act Thr	ttt Phe	oto	OHT	E LI aat asn	5735	nat	tct	caa	cct Pro	1008
				325					330			*.		335		
ggg Gly	gaa Glu	Ser	Leu 340	gaa Glu	Ser	Phe	gra Val	caa Gln 345	gaa Glu	tgg Trp	ttt	aag Lys	CCA Pro 350	ctt Leu	gci Āla	1056
tat Tyr	gcg Ala	ctt Leu 358	att Ile	tta Leu	aca Thr	aga Arg	gaa Glu 360	caa Gln	ggc Gly	tat Tyr	ccc Pro	tct Ser 365	gtc Val	ttc Phe	tat Tyr	1104
ggt Gly	gac Asp 370	tac Tyr	tat Tyr	gga Gly	att	cca Pro 375	aca Thr	cat His	agt Ser	gtc val	cca Pro 380	gca Ala	atg Met	aaa Lys	gcc Ala	1152
aag Lys 385	att Ile	gat Asp	cca Pro	atc Ile	tta Leu 390	gag Glu	gcg Ala	cgt Arg	caa Gln	aat Asn 395	ttt Phe	gca Ala	tat Tyr	gga Gly	aca Thr 400	1200
caa Gln	cat His	gat Asp	tat Tyr	ttt Phe 405	gac Asp	cat His	cat His	aat Asn	ata Ile 410	atc Ile	gga Gly	tgg Trp	aca Thr	cgt Arg 415	gaa Glu	1248
gga Gly	aat Asn	acc Thr	acg Thr 420	cat His	ccc Pro	aat Asn	tca Ser	gga Gly 425	ctt Leu	gcg Ala	act Thr	atc Ile	atg Met 430	tcg Ser	gat Asp	1296
ggg Gly	cca Pro	ggg Giy 435	gga Gly	gag Glu	aaa Lys	tgg Trp	atg Met 440	tac Tyr	gta Val	ggg Gly	caa Gln	aat Asn 445	aaa Lys	gca Ala	agt Gly	1344
caa Gln	gtt Val 450	tgg Trp	cat His	gac Asp	ata Ile	act Thr 455	gga Gly	aat Asn	aaa Lys	cca Pro	gga 61y 460	aca Thr	gtt Vaj	acg Thr	atc Ile	1392
aat Asn 465	gca Ala	gat Asp	gga Giy	tgg Trp	gct Ala 470	aat Asn	ttt Phe	tca Ser	gta Val	aat Asn 475	gga Gly	gga Gly	tct Ser	gtt Val	tcc 5er 480	1440
att Ile	tgg Trp	gtg Val	aaa Lys	cga Arg 485										,		1455

<210> 4 <211> 485 <212> PRT <213> Bacillus sp.

Leu Pro Asn Asp Gly Asn His Trp Asn Arg Leu Arg Asp Asp Ala Ser 20 25 30

Asn Leu Arg Asn Arg Gly Ile Thr Ala Ile Trp Ile Pro Pro Ala Trp  $\frac{35}{40}$ 

Lys Gly Thr Ser Gln Asn Asp Val Gly Tyr Gly Ala Tyr Asp Leu Tyr 50 60

Asp Leu Gly Glu Phe Asn Gln Lys Gly Thr Val Arg Thr Lys Tyr Gly 65 70 75 80

Thr Arg Ser Gln Leu Glu Ser Ala Ile His Ala Leu Lys Asn Asn Gly 85 90 95 WO 92/19355 PCT/DK91/99488

### SEQUENCE LISTING

Val Gln Val Tyr Gly Asp Val Val Met Asn His Lys Gly Gly Ala Asp 100 105 110 Ala Thr Glu Asn Val Leu Ala Val Glu Val Asn pro Asn Asn Arg Asn 115 120 125 Gln Glu Ile Ser Gly Asp Tyr Thr Ile Glu Ala Trp Thr Lys Phe Asp 130 135 Phe Pro Gly Arg Gly Asm Thr Tyr Ser Asp Phe Lys Trp Arg Trp Tyr 145 150 155 160 His Phe Asp Gly Val Asp Trp Asp Gln Ser Arg Gln Phe Gln Asn Arg 165 170 175 Ile Tyr Lys Phe Arg Gly Asp Gly Lys Ala Trp Asp Trp Glu Val Asp 180 185 190 Ser Glu Asn Gly Asn Tyr Asp Tyr Leu Met Tyr Ala Asp val Asp Met 195 200 205 Asp His Pro Glu Val Val Asn Glu Leu Arg Arg Trp Gly Glu Trp Tyr 210 215 220 Thr Asn Thr Leu Asn Leu Asp Gly Phe Arg Ile Asp Ala Val Lys His 225 230 240 ITE Lys Tyr Ser Phe Thr Arg Asp Trp Leu Thr His Val Arg Asp Ala 245 250 - 255 Thr Gly Lys Glu Met Phe Ala Val Ala Glu Phe Trp Lys Asn Asp Leu 260 265 270 Gly Ala Leu Glu Asn Tyr Leu Asn Lys Thr Asn Trp Asn His Ser Val 275 280 285 Phe Asp Val Pro Leu His Tyr Asn Leu Tyr Asn Ala Ser Asn Ser Gly 290 295 Gly Asn Tyr Asp Met Ala Lys Leu Leu Asn Gly Thr Val Val Gln Lys 305 310 315 His Pro Met His Ala Val Thr Phe Val Asp Asn His Asp Ser Gln Pro 325 330 335 Gly Glu Ser Leu Glu Ser Phe Val Gln Glu Trp Phe Lys Pro Leu Ala 340 345 350 Tyr Ala Leu Ile Leu Thr Arg Glu Gln Gly Tyr Pro Ser Val Phe Tyr 355 360 365 Gly Asp Tyr Tyr Gly Ile Pro Thr His Ser Val Pro Ala Met Lys Ala 370 380 Lys Ile Asp Pro Ile Leu Glu Ala Arg Gln Asn Phe Ala Tyr Gly Thr 385 390 395 400 Gln His Asp Tyr Phe Asp His His Asn Ile Ile Gly Trp Thr Arg Glu 405 410 415 Gly Asn Thr Thr His Pro Asn Ser Gly Leu Ala Thr Ile Met Ser Asp 420 425 430 Gly Pro Gly Gly Glu Lys Trp Met Tyr Val Gly Gln Asn Lys Ala Gly 435 445 Gin Val Trp His Asp Ile Thr Gly Asn Lys Pro Gly Thr Val Thr Ile Page 7

WO 92/19355 PCT/DK91/99488

450 SEQUENCE LISTING 460

Asn Ala Asp Gly Trp Ala Asn Phe Ser Val Asn Gly Gly Ser Val Ser 465 470 475 480

Ile Trp Val Lys Arg 485

<210> 5 <211> 1548 <212> DNA <213> Bacillus stearothermophilus <220> <221> CDS <222> (1)..(1548) <223> 8SG <400> \$ gcc gca ccg ttt aac ggc acc atg atg cag tat ttt gaa tgg tac ttg Ala Ala Pro Phe Asn Gly Thr Met Met Gln Tyr Phe Glu Trp Tyr Leu ccg gat gat ggc acg ttm tgg acc aam gtg gcc amt gam gcc amc amc Pro Asp Asp Gly Thr Leu Trp Thr Lys Val Ala Asn Glu Ala Asn Asn 20 25 30 96 tta too ago ott ggc atc acc gct ott tgg otg oog occ gct tac aaa Leu Ser Ser Leu Gly Ile Thr Ala Leu Trp Leu Pro Pro Ala Tyr Lys 144 gga aca agc cgc agc gac gta ggg tac gga gta tac gac ttg tat gac Gly Thr Ser Arg Ser Asp Val Gly Tyr Gly Val Tyr Asp Leu Tyr Asp 50 55 60 192 ctc ggc gaa ttc aat caa aaa ggg acc gtc cgc aca aaa tac gga aca Leu Gly Glu Phe Asn Gln Lys Gly Thr val Arg Thr Lys Tyr Gly Thr 65 70 75 80 240 aaa gct caa tat ctt caa gcc att caa gcc gcc cac gcc gct gga atg Lys Ala Gin Tyr Ley Gin Ala Ile Gin Ala Ala His Ala Ala Giy Met 288 caa gto tac gcc gat gtc gto ttc gac cat aaa ggc ggc gct gac ggc Gin Vai Tyr Ala Asp Vai Vai Phe Asp His Lys Gly Gly Ala Asp Gly 336 acg gaa tgg gtg gac gcc gtc gaa gtc aat ccg tcc gac cgc aac caa Thr Glu Trp Val Asp Ala Val Glu Val Asn Pro Ser Asp Arg Asn Gln 115 384 120 gas atc tog ggc acc tat cas atc cas gcs tgg acg ass ttt gat ttt Glu Ile Ser Gly Thr Tyr Gln Ile Gln Ala Trp Thr Lys phe Asp phe 432 135 CCC ggg cgg ggc aac acc tac tcc agc ttt aag tgg cgc tgg tac cat Pro Gly Arg Gly Asn Thr Tyr Ser Ser Phe Lys Trp Arg Trp Tyr His 145 150 155 160 480 ttt gac ggc gtt gat tgg gac gaa agc cga aaa ttg agc cgc att tac Phe Asp Gly Val Asp Trp Asp Glu Ser Arg Lys Leu Ser Arg Ile Tyr 165 170528

Page 8

aaa ttc cgc ggc atc ggc aaa gcg tgg gat tgg gaa gta gac acg gaa Lys Phe Arg Gly Ile Gly Lys Ala Trp Asp Trp Glu Val Asp Thr Glu 180 185

# SEQUENCE LISTING

aac Asn	gga Gly	aac Asn 195	tat Tyr	gac Asp	tac Tyr	tta Leu	atg Met 200	Tyr	gcc Ala	gac Asp	ctt Leu	gat Asp 205	atg Met	gat Asp	cat His	624
CCC Pro	gaa Glu 210	gtc Val	gtg Val	acc Thr	gag Glu	ctg Leu 215	aaa Lys	aac Asn	tgg Trp	ggg Gly	aaa Lys 220	tgg Trp	tat Tyr	gtc Val	aac Asn	672
aca Thr 225	acg Thr	aac Asn	att Ile	gat Asp	909 Gly 230	ttc Phe	cgg Arg	ctt Leu	gat Asp	gcc Ala 235	gtc Val	aag Lys	cat His	att Ile	aag Lys 240	720
ttc Phe	agt Ser	ttt Phe	ttt Phe	cct Pro 245	gat Asp	tgg Trp	ttg Leu	tcg Ser	tat Tyr 250	gto Vai	cgt Arg	tct Ser	cag Gln	act Thr 255	ggc 61y	768
aag Lys	ccg Pro	cta Leu	ttt Phe 260	acc Thr	gtc Val	ggg Gly	gaa Glu	tat Tyr 265	tgg Trp	agc Ser	tat Tyr	gac Asp	atc Ile 270	aac Asn	aag Lys	816
ttg Leu	cac His	aat Asn 275	tac Tyr	att Ile	acg Thr	aaa Lys	aca Thr 280	gac Asp	gga Gly	acg Thr	atg Met	tct Ser 285	ttg Leu	ttt Phe	gat Asp	864
gcc Ala	ccg Pro 290	tta Leu	cac His	aac Asn	aaa Lys	ttt Phe 295	tat Tyr	acc Thr	gct Ala	tcc Ser	aaa Lys 300	tca Ser	ggg Gly	ggc Gly	gca Ala	912
ttt Phe 305	gat Asp	atg Met	cgc Arg	acg Thr	tta Leu 310	atg Met	acc Thr	aat Asn	act Thr	ctc Leu 315	atg Met	aaa Lys	gat Asp	caa Gln	ccg Pro 320	960
aca Thr	ttg Leu	gcc Ala	gtc Val	acc Thr 325	ttc Phe	gtt Val	gat Asp	aat Asn	cat His 330	gac Asp	acc Thr	gaa Glu	ccc Pro	ggc 61y 335	caa Gln	1008
gcg Ala	Ctg Leu	cag Gln	tca Ser 340	tgg Trp	gtc Val	gac Asp	cca Pro	tgg Trp 345	ttc Phe	aaa Lys	ccg Pro	ttg Leu	gct Ala 350	tac Tyr	gcc Ala	1056
ttt Phe	att Ile	cta Leu 355	act Thr	cgg Arg	cag Gln	gaa Glu	gga 61y 360	tac Tyr	ccg Pro	tgc Cys	gtc Val	ttt Phe 365	tat Tyr	ggt Gly	gac Asp	1104
tat Tyr	tat Tyr 370	ggc Gly	att Ile	cca Pro	caa Gln	tat Tyr 375	aac Asn	att Ile	cct Pro	tcg Ser	ctg Leu 380	aaa Lys	agc Ser	aaa Lys	atc Ile	1152
gat Asp 385	ccg Pro	ctc Leu	ctc Leu	atc Ile	gcg Ala 390	cgc Arg	agg Arg	gat Asp	tat Tyr	gct Ala 395	tac Tyr	gga Gly	acg Thr	caa Gln	cat His 400	1200
gat Asp	tat Tyr	ctt Leu	gat Asp	cac His 405	tcc Ser	gac Asp	atc Ile	atc Ile	999 Gly 410	tgg Trp	aca Thr	agg Arg	gaa Glu	999 Gly 415	ggc Gly	1248
act Thr	gaa Glu	Lys .	cca Pro 420	gga Gly	tcc Ser	gga Gly	ren	gcc Ala 425	gca Ala	ctg Leu	atc Ile	acc Thr	gat Asp 430	ggg Gly	ccg Pro	1296
gga Gly	gga Gly	agc Ser 435	aaa Lys	tgg Trp	atg Met	tac Tyr	gtt Val 440	ggc Gly	aaa Lys	caa Gln	cac His	gct Ala 445	gga Gly	aaa Lys	gtg Val	1344
5.05	tat Tyr 450	gac Asp	ctt Leu	acc Thr	ggc Gly	aac Asn 455	cgg Arg	agt Ser	ASP	Thr	gtc Val 460	acc Thr	atc Ile	aac Asn	agt Ser	1392
									raç	je 9					•	

PCT/DK01/00488 WO 02/10355

### SEQUENCE LISTING

gat Asp 465	gga Gly	tgg Trp	ggg Gly	gaa Glu	ttc Phe 470	aaa Lys	gtc Val	aat Asn	ggc G1y	ggt Gly 475	tcg Ser	gtt Val	tcg Ser	gtt Val	tgg Trp 480	1440
gtt Val	cct Pro	aga Arg	aaa Lys	acg Thr 485	acc Thr	gtt Val	tct Ser	acc Thr	atc Ile 490	gct Ala	cgg Arg	ccg Pro	atc Ile	aca Thr 495	acc Thr	1488
cga Arg	ccg Pro	tgg Trp	act Thr 500	ggt Gly	gaa Glu	ttc Phe	gtc Val	cgt Arg 505	tgg Trp	acc Thr	gaa Glu	cca Pro	cgg Arg 510	ttg Leu	gtg Val	1536
gca Ala	tgg Trp	cct Pro 515	tga	*					xi							1548

<210> 6 <211> 515

<212> PRT <213> Bacillus stearothermophilus Ala Ala Pro Phe Asn Gly Thr Met Met Gln Tyr Phe Glu Trp Tyr Leu 10 15 Pro Asp Asp Gly Thr Leu Trp Thr Lys Val Ala Asn Glu Ala Asn Asn 20 25 30 Leu Ser Ser Leu Gly Ile Thr Ala Leu Trp Leu Pro Pro Ala Tyr Lys 35 40 45 Gly Thr Ser Arg Ser Asp Val Gly Tyr Gly Val Tyr Asp Leu Tyr Asp 50 55 60 Leu Gly Glu Phe Asn Gln Lys Gly Thr Val Arg Thr Lys Tyr Gly Thr 65 75 80 Lys Ala Gln Tyr Leu Gln Ala Ile Gln Ala Ala His Ala Ala Gly Met 85 90 95 Gln Val Tyr Ala Asp Val Val Phe Asp His Lys Gly Gly Ala Asp Gly 100 105 Thr Glu Trp Val Asp Ala Val Glu Val Asn Pro Ser Asp Arg Asn Gln
115
125 Glu Ile Ser Gly Thr Tyr Gln Ile Gln Ala Trp Thr Lys Phe Asp Phe 130 140 pro Gly Arg Gly Asn Thr Tyr Ser Ser Phe Lys Trp Arg Trp Tyr His 145 150 155 160 Phe Asp Gly Val Asp Trp Asp Glu Ser Arg Lys Leu Ser Arg Ile Tyr 165 170 175 Lys Phe Arg Gly Ile Gly Lys Ala Trp Asp Trp Glu Val Asp Thr Glu 180 185 Asn Gly Asn Tyr Asp Tyr Leu Met Tyr Ala Asp Leu Asp Met Asp His 195 200 205 Pro Glu Val Val Thr Glu Leu Lys Asn Trp Gly Lys Trp Tyr Val Asn 210 220 Thr Thr Asn Ile Asp Gly Phe Arg Leu Asp Ala Val Lys His Ile Lys 225 230 240 Page 10

WO 92/19355 PCT/DK91/99488

### SEQUENCE LISTING

Phe Ser Phe Phe Pro Asp Trp Leu Ser Tyr Val Arg Ser Gln Thr Gly
245 250 255 Lys Pro Leu Phe Thr Val Gly Glu Tyr Trp Ser Tyr Asp Ile Asn Lys 260 265 270 Leu His Asn Tyr Ile Thr Lys Thr Asp Gly Thr Met Ser Leu Phe Asp 275 280 285 Ala Pro Leu His Asn Lys Phe Tyr Thr Ala Ser Lys Ser Gly Gly Ala 290 295 300 Phe Asp Met Arg Thr Leu Met Thr Asn Thr Leu Met Lys Asp Gln Pro 305 310 315 320 Thr Leu Ala Val Thr Phe Val Asp Asn His Asp Thr Glu Pro Gly Gln
325 330 335 Ala Leu Gln Ser Trp Val Asp Pro Trp Phe Lys Pro Leu Ala Tyr Ala 340 345 350 Phe Ile Leu Thr Arg Gln Glu Gly Tyr Pro Cys Val Phe Tyr Gly Asp 355 360 365 Tyr Tyr Gly Ile Pro Gln Tyr Asn Ile Pro Ser Leu Lys Ser Lys Ile 370 380 Asp Pro Leu Leu Ile Ala Arg Arg Asp Tyr Ala Tyr Gly Thr Gln His 385 390 395 400 ASP Tyr Leu ASP His Ser ASP Ile Ile Gly Trp Thr Arg Glu Gly Gly
410
415 Thr Glu Lys Pro Gly Ser Gly Leu Ala Ala Leu Ile Thr Asp Gly Pro 420 425 430 Gly Gly Ser Lys Trp Met Tyr Val Gly Lys Gln His Ala Gly Lys Val 435 440 445 Phe Tyr Asp Leu Thr Gly Asn Arg Ser Asp Thr Val Thr Ile Asn Ser 450 455 460 Asp Gly Trp Gly Glu Phe Lys Val Asn Gly Gly Ser Val Ser Val Trp 480 475 480 Val Pro Arg Lys Thr Thr Val Ser Thr Ile Ala Arg Pro Ile Thr Thr 485 490 495 Arg Pro Trp Thr Gly Glu Phe Val Arg Trp Thr Glu Pro Arg Leu Val 500 505 510 Ala Trp Pro 51.5

<210> 7 <211> 1920 <212> DNA <213> Bacillus licheniformis <220> <221> CDS <222> (421)..(1872) <223> Termamy!

<400> 7

SEQUENCE LISTING

SEQUENCE LISTING cggaagattg gaagtacaaa aataagcaaa agattgtcaa tcatgtcatg														-60		
gagacgga																
agattatt												7				
aagtgaagaa gcagagaggc tattgaataa atgagtagaa g									gcg	gcgccatate ggcgctttte						
ttttggaa	ga aaat	atag	gg a	aaat	ggta	c tt	gtta	aaaa	ttc	ggaa	tat	ttat	acaaca	300		
tcatatgt	tt caca	ittga	aa g	ggga	ggag	a at	catg	aaac	aac	8888	acg	gctt	tacgcc	360		
cgattgct	c tt	cttg	ctgc	cto	420											
gca aat Ala Asn 1	ctt aat Leu Asn	999 61y 5	acg Thr	ctg Leu	atg Met	cag Gln	tat Tyr 10	- 646	gaa Glu	tgg Trp	tac Tyr	atg Met 15	ccc Pro	468		
aat gac Asn Asp i	ggc caa Gly Gln 20	H1 S	tgg Trp	agg Arg	cgt Arg	ttg Leu 25	caa Gln	aac Asn	gac Asp	tcg Ser	gca Ala 30	Tyr	ttg Leu	516		
gct gaa ( Ala Glu )	cac ggt His Gly 35	att Ile	act Thr	gcc Ala	gtc Val 40	tgg Trp	att	ccc Pro	ccg Pro	gca Ala 45	tat Tyr	aag Lys	gga Gly	564		
acg agc ( Thr Ser ( 50	caa gcg 31n Ala	gat Asp	gtg Val	gac 61y 55	tac Tyr	ggt Gly	gct Ala	tac Tyr	gac Asp 60	ctt Leu	tat Tyr	gat Asp	tta Leu	612		
999 9ag 1 Gly Glu F 65	ttt cat he His	caa Gln	aaa Lys 70	999 61y	acg Thr	gtt Val	cgg Arg	aca Thr 75	aag Lys	tac Tyr	ggc Gly	aca Thr	aaa Lys 80	660		
gga gag c Gly Glu L	eu Gln	tct Ser 85	gcg Ala	atc Ile	aaa Lys	agt Ser	ctt Leu 90	cat His	tcc Ser	cgc Arg	gac Asp	att Ile 95	aac Asn	708		
gtt tac g Val Tyr 6	igg gat Ny Asp 100	gtg Val	gtc Val	atc Ile	aac Asn	cac His 105	aaa Lys	ggc Gly	ggc Gly	gct Ala	gat Asp 110	gcg Ala	acc Thr	756		
gaa gat ç Glu Asp V 1	pta acc /al Thr .15	gcg Ala	gtt Val	gaa Glu	gtc Val 120	gat Asp	ccc Pro	gct Ala	gac Asp	cgc Arg 125	aac Asn	cgc Arg	gta Val	804		
att tca g Ile Ser 6 130	iga gaa ily Glu	cac His	cta Leu	att Ile 135	aaa Lys	gcc Ala	tgg Trp	aca Thr	cat His 140	ttt Phe	cat His	ttt Phe	ccg Pro	852		
ggg cgc g Gly Arg G 145	igc agc ily Ser	3.63%	tac Tyr 150	agc Ser	gat Asp	ttt Phe	aaa Lys	tgg Trp 155	cat His	tgg Trp	tac Tyr	cat His	ttt Phe 160	900		
gac gga a Asp Gly T	cc gat hr Asp	tgg Trp 165	gac Asp	gag Glu	tcc Ser	cga Arg	aag Lys 170	ctg	aac Asn	cgc Arg	atc Ile	tat Tyr 175	aag Lys	948		
ttt caa g Phe Gln G	ga aag Ny Lys 180	gct : Ala	tgg Trp	gat Asp	tgg Trp	gaa Glu 185	gtt Val	tcc Ser	aat Asn	gaa Glu	aac Asn 190	ggc Gly	aac Asn	998		
tat gat t Tyr Asp T 1	at ttg yr Leu 95	atg : Met	tat Tyr .	412	gac Asp 200	atc Ile	gat Asp	tat Tyr	gac Asp	cat His 205	cct Pro	gat Asp	gtc Val	1044		
gca gca g Ala Ala G	aa att lu Ile	aag a Lys A	aga Yrg	tgg Trp	ggc Gly	act Thr	11.b	tat Tyr e 12	gcc Ala	aat Asn	gaa Glu	ctg Leu	caa Gln	1092		

210 SEQUENCE LISTING 220

	210					213					220	<b>)</b>				
ttg Leu 225	ASP	ggt Gly	ttc Phe	cgt Arg	ctt Leu 230	Asp	gct Ala	gtc Val	aaa Lys	cac His 235	Ile	aaa Lys	ttt Phe	tct Ser	ttt Phe 240	1140
ttg Leu	cgg Arg	gat Asp	tgg Trp	gtt Val 245	aat Asn	cat His	gtc Val	agg Arg	gaa Glu 250	aaa Lys	acg Thr	ggg Gly	aag Lys	gaa Glu 255	atg Met	1188
ttt Phe	acg Thr	gta Val	gct Ala 260	6330	tat Tyr	tgg Trp	cag Gln	aat Asn 265	gac Asp	ttg Leu	ggc Gly	gcg Ala	ctg Leu 270	gaa Glu	aac Asn	1236
tat Tyr	ttg Leu	aac Asn 275	aaa Lys	aca Thr	aat Asn	ttt Phe	aat Asn 280	cat His	tca Ser	gtg Val	ttt Phe	gac Asp 285	gtg Val	ccg Pro	Leu	1284
cat His	tat Tyr 290	cag Gln	ttc Phe	cat His	gct Ala	gca Ala 295	tcg Ser	aca Thr	cag Gln	gga Gly	ggc Gly 300	ggc Gly	tat Tyr	gat Asp	atg Met	1332
agg Arg 305	aaa Lys	ttg Leu	ctg Leu	aac Asn	99t 61y 310	acg Thr	gtc Val	gtt Val	tcc Ser	aag Lys 315	cat His	ccg Pro	ttg Leu	aaa Lys	tcg Ser 320	1380
gtt Val	aca Thr	ttt Phe	gtc Val	gat Asp 325	aac Asn	cat His	gat Asp	aca Thr	cag Gln 330	ccg Pro	ggg Gly	caa Gln	tcg ser	ctt Leu 335	gag Glu	1428
tcg Ser	act Thr	gtc Val	caa Gln 340	aca Thr	tgg Trp	ttt Phe	aag Lys	ccg Pro 345	ctt Leu	gct Ala	tac Tyr	gct Ala	ttt Phe 350	att	ctc Leu	1476
aca Thr	agg Arg	gaa Glu 355	tct Ser	gga Gly	tac Tyr	cct Pro	cag Gln 360	gtt Val	ttc Phe	tac Tyr	999 61y	gat Asp 365	atg Met	tac Tyr	ggg Gly	1524
acg Thr	aaa Lys 370	gga Gly	gac Asp	tcc Ser	cag Gln	cgc Arg 375	gaa Glu	att	cct Pro	gcc Ala	ttg Leu 380	aaa Lys	cac His	aaa Lys	att Ile	1572
gaa Glu 385	ccg Pro	atc Ile	tta Leu	aaa Lys	gcg Ala 390	aga Arg	aaa Lys	cag Gln	tat Tyr	gcg Ala 395	tac Tyr	gga Gly	gca Ala	cag Gln	cat His 400	1620
gat Asp	tat Tyr	ttc Phe	gac Asp	cac His 405	cat His	gac Asp	att Ile	gtc Val	ggc Gly 410	tgg Trp	aca Thr	agg Arg	gaa Glu	ggc Gly 415	gac Asp	1668
agc Ser	tcg Ser	gtt Val	gca Ala 420	aat Asn	tca Ser	ggt Gly	ttg Leu	gcg Ala 425	gca Ala	tta Leu	ata Ile	aca Thr	gac Asp 430	gga Gly	ccc Pro	1716
ggt Gly	ggg Gly	gca Ala 435	aag Lys	cga Arg	atg Met	tat Tyr	gtc Val 440	ggc Gly	cgg Arg	caa Gln	aac Asn	gcc Ala 445	ggt Gly	gag Glu	aca Thr	1764
tgg Trp	cat His 450	gac Asp	att Ile	acc Thr	gga Gly	aac Asn 455	cgt Arg	tcg Ser	gag GTu	ccg Pro	gtt Val 460	gtc Val	atc Ile	aat Asn	tcg Ser	1812
gaa Glu 465	ggc Gly	tgg Trp	gga Gly	gag Glu	ttt Phe 470	cac His	gta Val	aac Asn	ggc Gly	999 61y 475	tcg Ser	gtt Val	tca Ser	att Ile	tat Tyr 480	1860
gtt Val	caa Gln	aga Arg	tag	aaga	igcag	ag a	ggac	ggat	t to	ctga	agga	ı aat	ccgt	ttt		1912

#### SEQUENCE LISTING

tttatttt

1920

<210> 8

<211> 483 <212> PRT <213> Bacillus licheniformis <400> 8 Ala Asn Leu Asn Gly Thr Leu Met Gln Tyr Phe Glu Trp Tyr Met Pro 1 10 15 Asn Asp Gly Gln His Trp Arg Arg Leu Gln Asn Asp Ser Ala Tyr Leu 20 25 30 Ala Glu His Gly Ile Thr Ala Val Trp Ile Pro Pro Ala Tyr Lys Gly
35 40 45 Thr Ser Gln Ala Asp Val Gly Tyr Gly Ala Tyr Asp Leu Tyr Asp Leu 50 55 60 Gly Glu Phe His Gln Lys Gly Thr Val Arg Thr Lys Tyr Gly Thr Lys 65 70 75 80 Gly Glu Leu Gln Ser Ala Ile Lys Ser Leu His Ser Arg Asp Ile Asn 85 90 95 Val Tyr Gly Asp Val Val Ile Asn His Lys Gly Gly Ala Asp Ala Thr 100 105 110 Glu Asp Val Thr Ala Val Glu Val Asp Pro Ala Asp Arg Asm Arg Val 115 120 125 Ile Ser Gly Glu His Leu Ile Lys Ala Trp Thr His Phe His Phe Pro 130 140 Gly Arg Gly Ser Thr Tyr Ser Asp Phe Lys Trp His Trp Tyr His Phe 145 150 155 Asp Gly Thr Asp Trp Asp Glu Ser Arg Lys Leu Asn Arg Ile Tyr Lys 165 170 175 Phe Gln Gly Lys Ala Trp Asp Trp Glu Val Ser Asn Glu Asn Gly Asn 180 185 190 Tyr Asp Tyr Leu Met Tyr Ala Asp Ile Asp Tyr Asp His Pro Asp Val 195 200 205 Ala Ala Glu Ile Lys Arg Trp Gly Thr Trp Tyr Ala Asn Glu Leu Gln 210 220

Leu Asp Gly Phe Arg Leu Asp Ala Val Lys His Ile Lys Phe Ser Phe 225 230 235

Leu Arg Asp Trp Val Asm His Val Arg Glu Lys Thr Gly Lys Glu Met 245 255

Phe Thr Val Ala Glu Tyr Trp Gln Asn Asp Leu Gly Ala Leu Glu Asn 260 265

Tyr Leu Asn Lys Thr Asn Phe Asn His Ser val Phe Asp val Pro Leu 275 280 285

His Tyr Gln Phe His Ala Ala Ser Thr Gln Gly Gly Gly Tyr Asp Met 290 300

Arg Lys Leu Leu Asn Gly Thr Val Val Ser Lys His pro Leu Lys Ser Page 14

SEQUENCE LISTING 315 305 310 320 Val Thr Phe Val Asp Asn His Asp Thr Gln Pro Gly Gln Ser Leu Glu 325 330 335 Ser Thr Val Gln Thr Trp Phe Lys Pro Leu Ala Tyr Ala Phe Ile Leu 340 345 350 Thr Arg Glu Ser Gly Tyr Pro Gln Val Phe Tyr Gly Asp Met Tyr Gly 355 360 365 Lys Gly Asp Ser Gln Arg Glu Ile Pro Ala Leu Lys His Lys Ile 370 380 Glu Pro Ile Leu Lys Ala Arg Lys Gln Tyr Ala Tyr Gly Ala Gln His 385 390 395 400 ASP Tyr Phe ASP His His ASP ITE Val Gly Trp Thr Arg Glu Gly ASP 405 410 415 Ser Ser Val Ala Asn Ser Gly Leu Ala Ala Leu Ile Thr Asp Gly Pro 420 425 430 Gly Gly Ala Lys Arg Met Tyr Val Gly Arg Gln Asn Ala Gly Glu Thr 435 440 Trp His Asp Ile Thr Gly Asn Arg Ser Glu Pro Val Val Ile Asn Ser 450 460 Glu Gly Trp Gly Glu Phe His Val Asn Gly Gly Ser Val Ser Ile Tyr 465 470 475 480 Val Gln Arg

<21.0> 9 <211> 2084 <212> ONA <213> Bacillus amyloliquefaciens

<220>

<221> CDS <222> (343)..(1794)

<223> BAN

<400> 9 gccccgcaca tacgaaaaga ctggctgaaa acattgagct tttgatgact gatgatttgg 60 ctgaagaagt ggatcgattg tttgagaaaa gaagaagacc ataaaaatac cttgtctgtc 120 atcagacagg gtatititta igcigiccag acigiccgci gigiaaaaat aaggaataaa 180 999999ttgt tattatttta ctgatatgta aaatataatt tgtataagaa aatgagaggg 240 agaggaaaca tgattcaaaa acgaaagcgg acagtttcgt tcagacttgt gcttatgtgc 300 acgctgttat ttgtcagttt gccgattaca aaaacatcag cc gta aat ggc acg Val Asn Gly Thr 354

ctg atg cag tat ttt gaa tgg tat acg ccg aac gac ggc cag cat tgg Leu Met Gln Tyr Phe Glu Trp Tyr Thr Pro Asn Asp Gly Gln His Trp 5 10 15 20 402

aaa cga ttg cag aat gat gcg gaa cat tta tcg gat atc gga atc act Lys Arg Leu Gln Asn Asp Ala Glu His Leu Ser Asp Ile Gly Ile Thr 25 30 35 450

# SEQUENCE LISTING

gcc Ala	gtc Val	tgg Trp	att Ile 40	cct Pro	CCC Pro	gca Ala	tac Tyr	aaa Lys 45	gga Gly	i ttg Leu	agc Ser	caa Glr	tcc Ser 5(		aac Asn	498
gga Gly	tac Tyr	gga GTy SS	cct Pro	tat Tyr	gat 'Asp	ttg Leu	tat Tyr 60	gat Asp	tta Leu	gga Gly	gaa Glu	ttc Phe 69	Gir	caa Gln	aaa Lys	546
ggg Gly	acg Thr 70	gtc Val	aga Arg	acg Thr	aaa Lys	tac Tyr 75	ggc Gly	aca Thr	aaa Lys	tca Ser	gag Glu 80	ctt Leu	caa Gln	gat Asp	gcg Ala	594
atc Ile 85	ggc Gly	tca Ser	ctg Leu	cat His	tcc Ser 90	Arg	aac Asn	gtc Val	caa Gln	gta Val 95	tac Tyr	gga Gly	gat Asp	gto Vai	gtt Val 100	642
ttg Leu	aat Asn	cat His	aag Lys	gct Ala 105	ggt Gly	gct Ala	gat Asp	gca Ala	aca Thr 110	gaa Glu	gat Asp	gta Val	act Thr	gcc Ala 115	gtc Val	690
gaa Glu	gtc Val	aat Asn	ccg Pro 120	gcc Ala	aat Asn	aga Arg	aat Asn	cag Gln 125	gaa Glu	act Thr	tcg Ser	gag Glu	gaa Glu 130	tat Tyr	caa Gln	738
atc Ile	aaa Lys	gcg Ala 135	tgg Trp	acg Thr	gat Asp	ttt Phe	cgt Arg 140	ttt Phe	ccg Pro	ggc Gly	cgt Arg	99a 61y 145	aac Asn	acg Thr	tac Tyr	786
agt Ser	gat Asp 150	ttt Phe	aaa Lys	tgg Trp	cat His	tgg Trp 155	tat Tyr	cat His	ttc Phe	gac Asp	gga Gly 160	gcg Ala	gac Asp	tgg Trp	gat Asp	834
gaa Glu 165	tcc Ser	cgg Arg	aag Lys	atc Ile	agc ser 170	cgc Arg	atc Ile	ttt Phe	aag Lys	ttt Phe 175	cgt Arg	ggg Gly	gaa Glu	gga Gly	aaa Lys 180	882
gcg Ala	tgg Trp	gat Asp	tgg Trp	gaa 61u 185	gta Val	tca Ser	agt Ser	gaa Glu	aac Asn 190	ggc Gly	aac Asn	tat Tyr	gac Asp	tat Tyr 195	tta Leu	930
atg Met	tat Tyr	gct Ala	gat Asp 200	gtt Val	gac Asp	tac Tyr	gac Asp	cac His 205	cct Pro	gat Asp	gtc Val	gtg Val	gca Ala 210	gag Glu	aca Thr	978
aaa Lys	aaa Lys	tgg Trp 215	ggt Gly	atc Ile	tgg Trp	tat Tyr	gcg Ala 220	aat Asn	gaa Glu	ctg Leu	tca Ser	tta Leu 225	gac Asp	ogc Gly	ttc Phe	1026
cgt Arg	att Ile 230	gat Asp	gcc Ala	gcc Ala	aaa Lys	cat His 235	att Ile	aaa Lys	ttt Phe	tca Ser	ttt Phe 240	ctg Leu	cgt Arg	gat Asp	tgg Trp	1074
gtt Val 245	cag Gln	gcg Ala	gtc Val	aga Arg	cag Gln 250	gcg Ala	acg Thr	gga Gly	aaa Lys	gaa Glu 255	atg Met	ttt Phe	acg Thr	gtt Val	gcg Ala 260	1122
gag Glu	tat Tyr	tgg Trp	Ox 3.85	aat Asn 265	aat Asn	gcc Ala	999 61y	my s	ctc Leu 270	gaa Glu	aac Asn	tac Tyr	ttg Leu	aat Asn 275	aaa Lys	1170
aca Thr	agc Ser	L : 15.00	aat Asn 280	caa Gln	tcc Ser	gtg Val	KBB .	gat Asp 285	gtt Val	ccg Pro	ctt Leu	cat His	ttc Phe 290	aat Asn	tta Leu	1218
cag Gln	gcg Ala	gct Ala 295	tcc Ser	tca Ser	caa Gln	gga Gly	ogc Gly 300	gga Gly			atg Met	agg Arg 305	cgt Arg	ttg Leu	ctg Leu	1266
									rage	e 16						

## SEQUENCE LISTING

gac Asp	ggt Gly 310	acc Thr	gtt Val	gtg Val	tcc Ser	agg Arg 315	cat His	ccg Pro	gaa Glu	aag Lys	909 Ala 320	gtt Val	aca Thr	ttt Phe	gtt Val	1314
gaa Glu 325	aat Asn	cat His	gac Asp	aca Thr	cag Gln 330	ccg Pro	gga Gly	cag 61n	tca Ser	ttg Leu 335	gaa Glu	tcg Ser	aca Thr	gtc Val	caa Gln 340	1362
act Thr	tgg Trp	ttt Phe	aaa Lys	ccg Pro 345	ctt Leu	gca Ala	tac Tyr	gcc Ala	ttt Phe 350	att Ile	ttg Leu	aca Thr	aga Arg	gaa Glu 355	tcc Ser	1410
ggt Gly	tat Tyr	cct Pro	cag Gln 360	gtç Val	ttc Phe	tat Tyr	ggg Gly	gat Asp 365	atg Met	tac Tyr	ggg Gly	aca Thr	aaa Lys 370	ggg Gly	aca Thr	1458
tcg Ser	cca Pro	aag Lys 375	gaa Glu	att Ile	ccc Pro	tca Ser	ctg Leu 380	aaa Lys	gat Asp	aat Asn	ata Ile	gag Glu 385	ccg Pro	att Ile	tta Leu	1506
aaa Lys	gcg Ala 390	cgt Arg	aag Lys	gag Glu	tac Tyr	gca A1a 395	tac Tyr	ggg Gly	ccc Pro	cag Gln	cac His 400	gat Asp	tat Tyr	att Ile	gac Asp	1554
cac His 405	ccg Pro	gat Asp	gtg Val	atc Ile	gga 61y 410	tgg Trp	acg Thr	agg Arg	gaa Glu	ggt G1y 415	gac Asp	agc Ser	tcc Ser	gcc Ala	gcc Ala 420	1602
aaa Lys	tca Ser	ggt Gly	ttg Leu	gcc Ala 425	gct Ala	tta Leu	atc Ile	acg Thr	gac Asp 430	gga Gly	ccc Pro	ggc Gly	gga G1y	tca Ser 435	aag Lys	1650
Cgg Arg	atg Met	tat Tyr	gcc Ala 440	ggc Gly	ctg Leu	aaa Lys	aat Asn	gcc Ala 445	ggc Gly	gag Glu	aca Thr	tgg Trp	tat Tyr 450	gac Asp	ata Ile	1698
acg Thr	ggc Gly	aac Asn 455	cgt Arg	tca Ser	gat Asp	act Thr	gta Val 460	aaa Lys	atc Tle	gga Ğly	tct Ser	gac Asp 465	ggc Gly	tgg Trp	gga Gly	1746
gag Glu	ttt Phe 470	cat His	gta Val	aac Asn	gat Asp	999 61y 475	tcc Ser	gtc val	tcc Ser	att Ile	tat Tyr 480	gtt Val	cag Gln	aaa Lys	taa	1794
ggta	iataa	aa a	aaca	cctc	c aa	gctg	agtç	cgg	gtat	cag	cttg	gagç	tg c	gttt	atttt	1854
ttca	igccg	ta t	gaca	aggt	င် gg	cato	aggt	gtg	acaa	ata	cggt	atgo	tg g	ctgt	catag	1914
gtga	ıcaaa	tc c	gggt	tttg	c gc	cgtt	tggc	ttt	ttca	cat	gtct	gatt	tt t	gtat	aatca	1974
acaç	gcac	gg a	geeg	gaat	c tt	tcgc	cttg	gaa	taaat	aag	cggc	gato	gt a	gctg	cttcc	2034
aata	tgga	tt g	ttca	tegg	g at	cgct	gctt	tta	atca	caa	cgtç	ggat	cc			2084

<210> 10

<211> 483

<212> PRT

<213> Bacillus amyloliquefaciens

<400> 10

Val Asn Gly Thr Leu Met Gln Tyr Phe Glu Trp Tyr Thr Pro Asn Asp 10 15

Gly Gln His Trp Lys Arg Leu Gln Asn Asp Ala Glu His Leu Ser Asp  $20 \\ 20 \\ 20$ 

SEQUENCE LISTING

Ile Gly Ile Thr Ala Val Trp Ile Pro Pro Ala Tyr Lys Gly Leu Ser

35 40 45 GÎN SER ASP ASN GÎY TYR GÎY PRO TYR ASP LEU TYR ASP LEU GÎY GÎU 50 60 Phe Gln Gln Lys Gly Thr Val Arg Thr Lys Tyr Gly Thr Lys Ser Glu 65 70 75 75 Leu Gln Asp Ala Ile Gly Ser Leu His Ser Arg Asn Val Gln Val Tyr 85 90 95 Gly Asp Val Val Leu Asm His Lys Ala Gly Ala Asp Ala Thr Glu Asp 100 105 110 Val Thr Ala Val Glu Val Asn Pro Ala Asn Arg Asn Gln Glu Thr Ser 115 120 125 Glu Glu Tyr Gln Ile Lys Ala Trp Thr Asp Phe Arg Phe Pro Gly Arg 130 135 Gly Asn Thr Tyr Ser Asp Phe Lys Trp His Trp Tyr His Phe Asp Gly 145 150 160 Ala Asp Trp Asp Glu Ser Arg Lys Ile Ser Arg Ile Phe Lys Phe Arg 165 170 175 Gly Glu Gly Lys Ala Trp Asp Trp Glu Val Ser Ser Glu Asn Gly Asn 180 185 190 Tyr Asp Tyr Leu Met Tyr Ala Asp Val Asp Tyr Asp His Pro Asp Val 195 205 Val Ala Glu Thr Lys Lys Trp Gly Ile Trp Tyr Ala Asn Glu Leu Ser 210 Z20 Leu Asp Gly Phe Arg Ile Asp Ala Ala Lys His Ile Lys Phe Ser Phe 225 230 240 Leu Arg Asp Trp Val Gln Ala Val Arg Gln Ala Thr Gly Lys Glu Met 245 250 255 Phe Thr Val Ala Glu Tyr Trp Gln Asn Asn Ala Gly Lys Leu Glu Asn 260 265 270 Tyr Leu Asn Lys Thr Ser Phe Asn Gln Ser Val Phe Asp Val Pro Leu 275 280 285 His Phe Asn Leu Gln Ala Ala Ser Ser Gln Gly Gly Tyr Asp Met 290 295 Arg Arg Leu Leu Asp Gly Thr Val Val Ser Arg His Pro Glu Lys Ala 305 315 320 Val Thr Phe Val Glu Asn His Asp Thr Gln Pro Gly Gln Ser Leu Glu 325 330 335 Ser Thr Val Gln Thr Trp Phe Lys Pro Leu Ala Tyr Ala Phe Ile Leu 340 350 Thr Arg Glu Ser Gly Tyr Pro Gln Val Phe Tyr Gly Asp Met Tyr Gly 355 360 365 Thr Lys Gly Thr Ser Pro Lys Glu Ile Pro Ser Leu Lys Asp Asn Ile 370 380 Glu Pro Ile Leu Lys Ala Arg Lys Glu Tyr Ala Tyr Gly Pro Gln His 385 390 395 400 Page 18

## SEQUENCE LISTING

Asp Tyr Ile Asp His Pro Asp Val Ile Gly Trp Thr Arg Glu Gly Asp 405

Ser Ser Ala Ala Lys Ser Gly Leu Ala Ala Leu Ile Thr Asp Gly Pro 420

Gly Gly Ser Lys Arg Met Tyr Ala Gly Leu Lys Asn Ala Gly Glu Thr 435

Trp Tyr Asp Ile Thr Gly Asn Arg Ser Asp Thr Val Lys Ile Gly Ser 450

Asp Gly Trp Gly Glu Phe His Val Asn Asp Gly Ser Val Ser Ile Tyr 465

Val Gln Lys

<210> 11 <211> 1458 <212> DNA <213> Bacillus sp. <220> <221> CDS <222> (1)..(1458) <223> AA560 <400> 11 cac cat aat ggt acg aac ggc aca atg atg cag tac ttt gaa tgg tat His His Asn Gly Thr Asn Gly Thr Met Met Gln Tyr Phe Glu Trp Tyr 1 5 10 48 cta cca aat gac gga aac cat tgg aat aga tta agg tct gat gca agt Leu Pro Asn Asp Gly Asn His Trp Asn Arg Leu Arg ser Asp Ala ser 20 25 30 96 aac cta aaa gat aaa ggg atc tca gcg gtt tgg att cct cct gca tgg Asn Leu Lys Asp Lys Gly Ile Ser Ala Val Trp Ile Pro Pro Ala Trp 35 40 45 144 ang ggt gcc tct can ant gat gtg ggg tat ggt gct tat gat ctg tat Lys Gly Ala Ser Gln Asn Asp Val Gly Tyr Gly Ala Tyr Asp Leu Tyr 50192 gat tta gga gaa ttc aat caa aaa gga acc att cgt aca aaa tat gga Asp Leu Gly Glu Phe Asn Gln Lys Gly Thr Ile Arg Thr Lys Tyr Gly 65 70 75 240 acg cgc aat cag tta caa gct gca gtt aac gcc ttg aaa agt aat gga Thr Arg Asn Gin Ley Gin Ala Ala Val Asn Ala Leu Lys Ser Asn Giy 588 att caa gtg tat ggc gat gtt gta atg aat cat aaa ggg gga gca gac Ile Gln Val Tyr Gly Asp Val Val Met Asn His Lys Gly Gly Ala Asp 100 105 336 105 gct acc gaa atg gtt agg gca gtt gaa gta aac ccg aat aat aga aat Ala Thr Glu Met Val Arg Ala Val Glu Val Asn Pro Asn Asn Arg Asn 384 Caa gaa gtg tcc ggt gaa tat aca att gag gct tgg aca aag ttt gac Gin Glu Vai Ser Giy Glu Tyr Thr Ile Glu Ala Trp Thr Lys Phe Asp 130 432 ttt cca gga cga ggt aat act cat tca aac ttc aaa tgg aga tgg tat 480 Page 19

								gen gen ge	4.5 A 900 \$ 2 W		· ~~~~	, 2				
Phe 145	Pro	Gly	Arg	Gly	' Asn 150	Thr	His	Ser	venc Asn	.E L.: Phe	ESTIN Lys	iG Trp	Arg	Trp	Tyr 160	
cac His	ttt Phe	gat Asp	gga Gly	gta Val 165	Asp	tgg Trp	gat Asp	cag Gln	tca Ser 170	Arg	aag Lys	ctg Leu	aac Asn	aat Asn 175	cga Arg	528
att Ile	tat Tyr	aaa Lys	ttt Phe 180	aga Arg	ggt Gly	gat Asp	gga Gly	aaa Lys 185	ggg Gly	tgg Trp	gat Asp	tgg Trp	gaa Glu 190	gtc Val	gat Asp	576
aca Thr	gaa Glu	aac Asn 195	ggt Gly	aac Asn	tat Tyr	gat Asp	tac Tyr 200	ren	atg Met	tat Tyr	gca Ala	gat Asp 205	att Ile	gac Asp	atg Met	624
gat Asp	cac Hís 210	cca Pro	gag Glu	gta Val	gtg Val	aat Asn 215	gag Glu	cta Leu	aga Arg	aat Asn	tgg Trp 220	ggt 61y	gtt Val	tgg Trp	tat Tyr	672
acg Thr 225	aat Asn	aca Thr	tta Leu	ggc Gly	ctt Leu 230	gat Asp	ggt Gly	ttt Phe	aga Arg	ata Ile 235	gat Asp	gca Ala	gta Val	aaa Lys	cat His 240	720
ata Ile	aaa Lys	tac Tyr	agc Ser	ttt Phe 245	act Thr	cgt Arg	gat Asp	tgg Trp	att Ile 250	aat Asn	cat His	gtt Val	aga Arg	agt Ser 255	gca Ala	768
act Thr	ggc	aaa Lys	aat Asn 260	atg Met	ttt Phe	gcg Ala	gtt Val	gcg Ala 265	gaa Glu	ttt Phe	tgg Trp	aaa Lys	aat Asn 270	gat Asp	tta Leu	816
ggt Gly	gct Ālā	att Ile 275	gaa Glu	aac Asn	tat Tyr	tta Leu	aac Asn 280	aaa Lys	aca Thr	aac Asn	tgg Trp	aac Asn 285	cat His	tca Ser	gtc Val	864
ttt Phe	gat Asp 290	gtt Val	ccg Pro	ctg Leu	cac His	tat Tyr 295	aac Asn	ctc Leu	tat Tyr	aat Asn	gct Ala 300	tca Ser	aaa Lys	agc Ser	gga Gly	912
999 61y 305	aat Asn	tat Tyr	gat Asp	atg Met	agg Arg 310	caa Gln	ata Ile	ttt Phe	aat Asn	ggt Gly 315	aca Thr	gtc Val	gta Val	caa Gln	aga Arg 320	960
cat His	cca Pro	atg Met	cat His	gct Ala 325	gtt Val	aca Thr	ttt Phe	gtt Val	gat Asp 330	aat Asn	cat	gat Asp	tcg Ser	caa Gln 335	cct Pro	1008
gaa Glu	gaa Glu	gct Ala	tta Leu 340	gag Glu	tct Ser	ttt Phe	gtt Val	gaa Glu 345	gaa Glu	tgg Trp	ttc Phe	aaa Lys	cca Pro 350	tta Leu	gcg Ala	1056
tat Tyr	gct Ala	ttg Leu 355	aca Thr	tta Leu	aca Thr	cgt Arg	gaa Glu 360	caa Gln	ggc Gly	tac Tyr	cct Pro	tct ser 365	gta Val	ttt Phe	tat Tyr	1104
gga Gly	gat Asp 370	tat Tyr	tat Tyr	ggc 61y	att Ile	cca Pro 375	acg Thr	cat His	ggt Gly	gta Val	cca Pro 380	gcg Ala	atg Met	aaa Lys	tcg Ser	1152
aaa Lys 385	att Ile	gac Asp	ccg Pro	att Ile	cta Leu 390	gaa Glu	gcg Ala	cgt Arg	caa Gln	aag Lys 395	tat Tyr	gca Ala	tat Tyr	gga Gly	aga Arg 400	1200
caa Gln	aat Asn	gac Asp	* At.	tta Leu 405	gac Asp	cat His	cat His	aat Asn	atc Ile 410	atc	ggt Gly	tgg Trp	aca Thr	cgt Arg 415	gaa Glu	1248
999	aat	aca	gca	cac	CCC	aac	ticc	ggt		gct e 20	act	atc	atg	tcc	gat	1296

Gly Asn Thr Ala His Pro Asn Ser Gly Leu Ala Thr Ile Met Ser Asp

ggg gca gga gga aat aag tgg atg ttt gtt ggg cgt aat aaa gct ggt 1344
Gly Ala Gly Gly Asn Lys Trp Met Phe Val Gly Arg Asn Lys Ala Gly
435

Caa gtt tgg acc gat atc act gga aat cgt gca ggt act gtt acg att 1392
Gln Val Trp Thr Asp Ile Thr Gly Asn Arg Ala Gly Thr Val Thr Ile
450

aat gct gat gga tgg ggt aat ttt tct gta aat gga gga tca gtt tct 1440
Asn Ala Asp Gly Trp Gly Asn Phe Ser Val Asn Gly Gly Ser Val Ser
465

att tgg gta aac aaa taa
Ile Trp Val Asn Lys
485

<210> 12 <211> 485 <212> PRT

<213> Bacillus sp.

<400> 12 His His Asn Gly Thr Asn Gly Thr Met Met Gln Tyr Phe Glu Trp Tyr 1 15 Leu Pro Asn Asp Gly Asn His Trp Asn Arg Leu Arg Ser Asp Ala Ser 20 25 30 Asn Leu Lys Asp Lys Gly Ile Ser Ala Val Trp Ile Pro Pro Ala Trp 35 40 45 Lys Gly Ala Ser Gln Asn Asp Val Gly Tyr Gly Ala Tyr Asp Leu Tyr
50 55 Asp Leu Gly Glu Phe Asm Glm Lys Gly Thr Ile Arg Thr Lys Tyr Gly
65 70 75 80 Thr Arg Ash Gln Leu Gln Ala Ala Val Ash Ala Leu Lys Ser Ash Gly 85 90 95 Ile Gln Val Tyr Gly Asp Val Val Met Asn His Lys Gly Gly Ala Asp 100 105 110 Ala Thr Glu Met Val Arg Ala Val Glu Val Asn Pro Asn Asn Arg Asn 115 120 125 Gln Glu Val Ser Gly Glu Tyr Thr Ile Glu Ala Trp Thr Lys Phe Asp 130 140 Phe Pro GTy Arg GTy Asn Thr His Ser Asn Phe Lys Trp Arg Trp Tyr 145 150 155 160 His Phe Asp Gly Val Asp Trp Asp Gln Ser Arg Lys Leu Asn Asp Arg 165 170 175 Ile Tyr Lys Phe Arg Gly Asp Gly Lys Gly Trp Asp Trp Glu Val Asp 180 185 190 Thr Glu Asn Gly Asn Tyr Asp Tyr Leu Met Tyr Ala Asp Ile Asp Met
195 200 205 Asp His Pro Glu Val Val Asm Glu Leu Arg Asm Trp Gly Val Trp Tyr 210 215 220

SEQUENCE LISTING Thr Asn Thr Leu Gly Leu Asp Gly Phe Arg Ile Asp Ala Val Lys His 225 230 235 240 Ile Lys Tyr Ser Phe Thr Arg Asp Trp Ile Asn His Val Arg Ser Ala 245 250 255 Thr Gly Lys Asn Met Phe Ala Val Ala Glu Phe Trp Lys Asn Asp Leu 260 265 270 Gly Ala Ile Glu Asn Tyr Leu Asn Lys Thr Asn Trp Asn His Ser Val 275 280 285 Phe Asp Val Pro Leu His Tyr Asn Leu Tyr Asn Ala Ser Lys Ser Gly 290 300 GÎY ASN TYR ASP MET ARG GÎN ÎÎE PHE ASN GÎY THR VAÎ VAÎ GÎN ARG 305 - 310 - 320 His Pro Met His Ala Val Thr Phe Val Asp Asn His Asp Ser Gln Pro 325 330 335 Glu Glu Ala Leu Glu Ser Phe Val Glu Glu Trp Phe Lys Pro Leu Ala 340 345 350 Tyr Ala Leu Thr Leu Thr Arg Glu Gln Gly Tyr Pro Ser Val Phe Tyr 355 360 365 Gly Asp Tyr Tyr Gly Ile Pro Thr His Gly Val Pro Ala Met Lys Ser 370 375 380 Lys Ile Asp Pro Ile Leu Glu Ala Arg Gln Lys Tyr Ala Tyr Gly Arg 385 - 390 - 395 - 400 Gln Asn Asp Tyr Leu Asp His His Asn Ile Ile Gly Trp Thr Arg Glu 405 415 Gly Asn Thr Ala His Pro Asn Ser Gly Leu Ala Thr Ile Met Ser Asp 420 430 Gly Ala Gly Gly Asn Lys Trp Met Phe Val Gly Arg Asn Lys Ala Gly 435 440 445 Gln Val Trp Thr Asp Ile Thr Gly Asn Arg Ala Gly Thr Val Thr Ile 450 455 Asn Ala Asp Gly Trp Gly Asn Phe Ser Val Asn Gly Gly Ser Val Ser 465 470 475 480 Ile Trp Val Asn Lys 485

<210> 13 <211> 485 <212> PRT <213> Bacillus sp. 707

# SEQUENCE LISTING 60 55 60

Asp Leu Gly Glu Phe Asn Gln Lys Gly Thr Val Arg Thr Lys Tyr Gly
65 70 75 80

Thr Arg Ser Gln Leu Gln Ala Ala Val Thr Ser Leu Lys Asn Asn Gly 85 90 95 Ile Gln Val Tyr Gly Asp Val Val Met Asn His Lys Gly Gly Ala Asp 100 105 110 Ala Thr Glu Met Val Arg Ala Val Glu Val Asn Pro Asn Asn Arg Asn 115 120 Gln Glu Val Thr Gly Glu Tyr Thr Ile Glu Ala Trp Thr Arg Phe Asp 130 140 Phe Pro Gly Arg Gly Asn Thr His Ser Ser Phe Lys Trp Arg Trp Tyr 145 150 155 160 His Phe Asp Gly Val Asp Trp Asp Gln Ser Arg Arg Leu Asn Asn Arg 165 170 175 Ile Tyr Lys Phe Arg Gly His Gly Lys Ala Trp Asp Trp Glu Val Asp 180 185 Thr Glu Asn Gly Asn Tyr Asp Tyr Leu Met Tyr Ala Asp Ile Asp Met 195 200 205 Asp His Pro Glu Val Val Asn Glu Leu Arg Asn Trp Gly Val Trp Tyr 210 220 Thr Asn Thr Leu Gly Leu Asp Gly Phe Arg Ile Asp Ala Val Lys His 225 230 240 Ile Lys Tyr Ser Phe Thr Arg Asp Trp Ile Asn His Val Arg Ser Ala 245 250 250 Thr Gly Lys Asn Met Phe Ala Val Ala Glu Phe Trp Lys Asn Asp Leu 260 265 270 Gly Ala Ile Glu Asn Tyr Leu Gln Lys Thr Asn Trp Asn His Ser Val 275 280 285 Phe Asp Val Pro Leu His Tyr Asn Leu Tyr Asn Ala Ser Lys Ser Gly 290 295 300 Gly Asn Tyr Asp Met Arg Asn Ile Phe Asn Gly Thr Val Val Gln Arg 305 315 320 His Pro Ser His Ala Val Thr Phe Val Asp Asn His Asp Ser Gln Pro Glu Glu Ala Leu Glu Ser Phe Val Glu Glu Trp Phe Lys Pro Leu Ala 340 345 350 Tyr Ala Leu Thr Leu Thr Arg Glu Gln Gly Tyr Pro Ser Val Phe Tyr 355 360 365 Gly Asp Tyr Tyr Gly Ile Pro Thr His Gly Val Pro Ala Met Arg Ser 370 375 380 Lys Tie Asp Pro Ile Leu Glu Ala Arg Gin Lys Tyr Ala Tyr Gly Lys 385 390 395 400 Gln Asn Asp Tyr Leu Asp His His Asn Ile Ile Gly Trp Thr Arg Glu 405 415

```
SEQUENCE LISTING
Gly Asn Thr Ala His Pro Asn Ser Gly Leu Ala Thr Ile Met Ser Asp
420 430
Gly Ala Gly Gly Ser Lys Trp Met Phe Val Gly Arg Asn Lys Ala Gly
Gin Val Trp Ser Asp Ile Thr Gly Asn Arg Thr Gly Thr Val Thr Ile
Asn Ala Asp Gly Trp Gly Asn Phe Ser Val Asn Gly Gly Ser Val Ser
                     470
The Trp Val Asn Lys
485
<210> 14
<211> 27
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer 22149
<400> 14
CGATTGCTGA CGCTGTTATT TGCG
<210> 15
<211> 29
<212> ONA
<213> Artificial Sequence
<220>
<223> Primer 24814
<400> 15
GATCACCCGC GATACCGTC
<210> 16
<211> 31
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer #24
<400> 16
GAATGTATGT CGGCCGGCAA AACGCCGGTG A
31
<210> 17
<211> 30
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer #27
<400> 17
GCCGCCGCTG CTGCAGAATG AGGCAGCAAG
<210> 18
<211> 48
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer #312
<400> 18
CCCGAAAGCT GAACCGCATC TATAGGTTTC AAGGGAAGAC TTGGGATT
                                                                   48
<210> 19
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
```

SEQUENCE LISTING

```
<223> Primer #290
 <400> 19
 AGGATGGTCA TAATCAAAGT CGG
 23
 <210> 20
 <211> 52
<212> DNA
 <213> Artificial Sequence
 <220>
 <223> Primer #313
<400> 20
CCGACTTTGA TTATGACCAT CCTGTTGTCG TAGCAGAGAT TAAGAGATGG GG
                                                                           52
<211> 45
 <212> DNA
<213> Artificial Sequence
<220>
<223> Primer #314
<400> 21
CGACAATGTC ATGGTGGTCG AAAAAATCAT GCTGTGCTCC GTACG
                                                                                    45
<210> 22
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer #296
<400> 22
TITICGACCAC CATGACATTG TCG
<210> 23
<211> 24
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer #305
<400> 23
TATAGATGCG GTTCAGCTTT CGGG
<210>
       24
<211>
       1650
<212>
       DNA
<213>
        Bacillus sp.
<220>
<221>
        CDS
<222>
       (65)..(1567)
<220>
<221>
       mat_peptide
<222>
       (128)..()
<220>
<221>
        sig_peptide
<222> (65)..(128)
<400> 24
cttgaatcat tatttaaagc tggttatgat atatgtaagc gttatcatta aaaggaggta
                                                                                 60
tttg atg aaa aga tgg gta gta gca atg ctg gca gtg tta ttt tta ttt
Met Lys Arg Trp Val Val Ala Met Leu Ala Val Leu Phe Leu Phe
                                                                                109
cct tcg gta gta gtt gca gat ggc ttg aat gga acg atg atg cag tat
Pro Ser Val Val Ala Asp Gly Leu Asn Gly Thr Met Met Gln Tyr
                                                                                157
tat gag tgg cat cta gag aat gat ggg caa cac tgg aat cgg ttg cat
                                                                                205
                                          Page 25
```

SEQUENCE LISTING Tyr Glu Trp His Leu Glu Asn Asp Gly Gln His Trp Asn Arg Leu His gat gat gcc gaa gct tta agt aat gcg ggt att aca gct att tgg ata Asp Asp Ala Glu Ala Leu Ser Asn Ala Gly Ile Thr Ala Ile Trp Ile 253 ccc cca gcc tac aaa gga aat agt cag gct gat gtt ggg tat ggt gca Pro Pro Ala Tyr Lys Gly Asn Ser Gln Ala Asp Val Gly Tyr Gly Ala 301 50 tac gac ctt tat gat tta ggg gag ttt aat caa aaa ggt acc gtt cga Tyr Asp Leu Tyr Asp Leu Gly Glu Phe Asn Gln Lys Gly Thr Val Arg 60 65 70349 acg ama tac ggg aca mag gct cag ctt gag cgm gct mtm ggg tcc ctm Thr Lys Tyr Gly Thr Lys Ala Gln Leu Glu Arg Alm Ile Gly Ser Leu 75 80 85 90 397 aag tcg aat gat atc aat gtt tat ggg gat gtc gta atg aat cat aaa Lys Ser Asn Asp Ile Asn Val Tyr Gly Asp Val Val Met Asn His Lys 95 100 105 445 tta gga gct gat ttc acg gag gca gtg caa gct gtt caa gta aat cct Leu Gly Ala Asp Phe Thr Glu Ala val Gln Ala val Gln val Asn Pro 493 tcg aac cgt tgg cag gat att tca ggt gtc tac acg att gat gca tgg Ser Asn Arg Trp Gln Asp Ile Ser Gly Val Tyr Thr Ile Asp Ala Trp 541 acg gga ttt gac ttt cca ggg cgc aac aat gcc tat tcc gat ttt aaa Thr Gly Phe Asp Phe Pro Gly Arg Asn Asn Ala Tyr ser Asp Phe Lys 140 150589 tgg aga tgg ttc cat ttt aat ggc gtt gac tgg gat caa cgc tat caa Trp Arg Trp Phe His Phe Asn Gly Val Asp Trp Asp Gln Arg Tyr Gln 155 637 160 gaa aac cat ctt ttt cgc ttt gca aat acg aac tgg aac tgg cga gtg Glu Asn His Leu Phe Arg Phe Ala Asn Thr Asn Trp Asn Trp Arg val 685 9at gaa gag aat ggt aat tat gac tat tta tta gga tcg aac att gac Asp Glu Glu Asn Gly Asn Tyr Asp Tyr Leu Leu Gly Ser Asn Ile Asp 190 195 733 ttt agc cac cca gag gtt caa gag gaa tta aag gat tgg ggg agc tgg Phe Ser His Pro Glu Val Gln Glu Glu Leu Lys Asp Trp Gly Ser Trp 781 tit acg gat gag cta gat tia gat ggg tat cga tig gat gct ait aag 829 Phe Thr Ásp Glú Leu Ásp Leu Ásp Glý Tyr Arg Leú Ásp Ála Ile Lyš 220 225 cat att cca ttc tgg tat acg tca gat tgg gtt agg cat cag cga agt His Ile Pro Phe Trp Tyr Thr Ser Asp Trp Val Arg His Gln Arg Ser 235 240 245 250 877 gaa gca gac caa gat tta ttt gtc gta ggg gag tat tgg aag gat gac Glu Ala Asp Gln Asp Leu Phe Val Val Gly Glu Tyr Trp Lys Asp Asp 255 260 265 925 gta ggt gct ctc gaa ttt tat tta gat gaa atg aat tgg gag atg tct 973 val Gly Ala Leu Glu Phe Tyr Leu Asp Glu Met Asn Třp Glú Met Ser 270 280 cta the gat git seg cit aat tat aat tit tac egg get tea aag caa 1021 Page 26

Leu	Phe	Asp	٧a٦	Pro	Leu	Asn	Tyr	Asn	UENC Phe	E LI Tyr	STIN Arg	G Ala	Ser	Lys	Gln	
		285					290					295			gaa	1069
ฐีโy	ĞΊγ 300	Ser	Tyr	Ăsp	Met	Arg 305	Āsn	ïle	Leu	Ārģ	61y 310	Ser	Leu	Val	Glu	CDOX
gca Ala 315	cat His	ccg Pro	att Ile	cat His	gca Ala 320	gtt Val	acg Thr	ttt Phe	gtt Val	gat Asp 325	aat Asn	cat His	gat Asp	act Thr	cag 61n 330	1117
cca Pro	gga GTy	gag Glu	tca Ser	tta Leu 335	gaa Glu	tca Ser	tgg Trp	gtc Val	gct Ala 340	gat Asp	tgg Trp	ttt Phe	aag Lys	cca Pro 345	ctt Leu	1165
gct Ala	tat Tyr	gcg Ala	aca Thr 350	atc Ile	ttg Leu	acg Thr	cgt Arg	gaa Glu 355	ggt Gly	gat 61y	tat Tyr	cca Pro	aat Asn 360	gta Val	ttt Phe	1213
tac Tyr	ggt Gly	gac Asp 365	tac Tyr	tat Tyr	ggg	att Ile	cct Pro 370	aac Asn	gat Asp	aac Asn	att Ile	tca Ser 375	gct Ala	aag Lys	aag Lys	1261
gat Asp	atg Met 380	att Ile	gat Asp	gag Glu	ttg Leu	ctt Leu 385	gat Asp	gca Ala	cgt Arg	caa Gln	aat Asn 390	tac Tyr	gca Ala	tat Tyr	ggc	1309
aca Thr 395	caa Gln	cat His	gac Asp	tat Tyr	ttt Phe 400	gat Asp	cat His	tgg Trp	gat Asp	atc Ile 405	gtt Val	gga Gly	tgg Trp	aca Thr	aga Arg 410	1357
gaa Glu	ggt Gly	aca Thr	tcc Ser	tca Ser 415	cgt Arg	cct Pro	aat Asn	tcg Ser	99t Gly 420	ctt Leu	gct Ala	act Thr	att Ile	atg Met 425	tcc Ser	1405
aat Asn	ggt Gly	cct Pro	99a 61y 430	gga Giy	tca ser	aaa Lys	tgg Trp	ato Met 435	tac Tyr	gta Val	gga Gly	cag Gln	caa Gln 440	cat His	gca Ala	1453
gga G <sup>1</sup> y	caa Gln	acg Thr 445	tgg Trp	aca Thr	gat Asp	tta Leu	act Thr 450	ggc Gly	aat Asn	cac His	gcg Ala	gcg Ala 455	tcg Ser	gtt Val	acg Thr	1501
att Ile	aat Asn 460	ggt Gly	gat Asp	ggc Gly	tgg Trp	ggc 61y 465	gaa Glu	ttc Phe	ttt Phe	aca Thr	aat Asn 470	gga Gly	gga Gly	tct Ser	gta Val	1549
tcc Ser 475	gtg Val	tat Tyr	gta Val	ASB	caa Gln 480	taat	aaaa	ag c	cttg	agaa	9 99	atto	ctcc	×.		1597
ctaa	ctca	ag g	cttt	cttt	a_tg	tcgt	ttag	ctc	aacg	ctt	ctac	gaag	ct t	ta		1650
<210 <211 <212 <213	> S > P > 8		lus	sp.												
<400 Met		5 Arg	Trp	Val	Val	A]a -15	Met	Leu	ala	Val	Leu -10	Phe	Leu	Phe	Pro:	4
Ser -5	Val	Val	Val	Ala: -1	Asp 1	Gly	Leu	Asn	Gly 5	Thr	Met	Met	Gln	Tyr 10	Tyr	

Glu Trp His Leu Glu Asn Asp Gly Gln His Trp Asn Arg Leu His Asp 20 25

# SEQUENCE LISTING

Asp Ala Glu Ala Leu Ser Asn Ala Gly Ile Thr Ala Ile Trp Ile Pro 30 35 40 Pro Ala Tyr Lys Gly Asn Ser Gln Ala Asp Val Gly Tyr Gly Ala Tyr 45 Asp Leu Tyr Asp Leu Gly Glu Phe Ash Gln Lys Gly Thr Val Arg Thr 60 70 75 Lys Tyr Gly Thr Lys Ala Gln Leu Glu Arg Ala Ile Gly Ser Leu Lys 80 85 90 Ser Asn Asp Ile Asn Val Tyr Gly Asp Val Val Met Asn His Lys Leu 95 100 105 Gly Ala Asp Phe Thr Glu Ala Val Gln Ala Val Gln Val Asn Pro Ser 110 115 120 Asn Arg Trp Gln Asp Ile Ser Gly Val Tyr Thr Ile Asp Ala Trp Thr 125 130 135 Gly Phe Asp Phe Pro Gly Arg Asn Asn Ala Tyr Ser Asp Phe Lys Trp 140 150 155 Arg Trp Phe His Phe Asn Gly Val Asp Trp Asp Gln Arg Tyr Gln Glu 160 165 170 Ash His Leu Phe Arg Phe Ala Ash Thr Ash Trp Ash Trp Arg Val Asp 175 180 185 Glu Glu Asn Gly Asn Tyr Asp Tyr Leu Leu Gly Ser Asn Ile Asp Phe 190 195 200 Ser His Pro Glu Val Gln Glu Glu Leu Lys Asp Trp Gly Ser Trp Phe 205 210 215 Thr Asp Glu Leu Asp Leu Asp Gly Tyr Arg Leu Asp Ala Ile Lys His 220 235 236 Ile Pro Phe Trp Tyr Thr Ser Asp Trp Val Arg Bis Gln Arg Ser Glu 240 245 250 Ala Asp Gln Asp Leu Phe Val Val Gly Glu Tyr Trp Lys Asp Asp Val 255 265 Gly Ala Leu Glu Phe Tyr Leu Asp Glu Met Asn Trp Glu Met Ser Leu 270 275 280 Phe Asp Val Pro Leu Asn Tyr Asn Phe Tyr Arg Ala Ser Lys Gln Gly 285 290 295 Page 28

WO 02/10355 PCT/DK01/00488

#### SEQUENCE LISTING

Gly Ser Tyr Asp Met Arg Asn Ile Leu Arg Gly Ser Leu Val Glu Ala 300 305 310 315 His Pro Ile His Ala Val Thr Phe Val Asp Asn His Asp Thr Gln Pro 320 325 330 Gly Glu Ser Leu Glu Ser Trp Val Ala Asp Trp Phe Lys Pro Leu Ala 335 345

Tyr Ala Thr Ile Leu Thr Arg Glu Gly Gly Tyr Pro Asn Val Phe Tyr 350 350

Gly Asp Tyr Tyr Gly Ile Pro Asn Asp Asn Ile Ser Ala Lys Lys Asp 365 370 375

Met Ile Asp Glu Leu Leu Asp Ala Arg Gln Asn Tyr Ala Tyr Gly Thr 380 385 390

Gln His Asp Tyr Phe Asp His Trp Asp Ile Val Gly Trp Thr Arg Glu 400 405 410

Gly Thr Ser Ser Arg Pro Asn Ser Gly Leu Ala Thr Ile Met Ser Asn 415 425

Gly Pro Gly Gly Ser Lys Trp Met Tyr Val Gly Gln Gln His Ala Gly 430 440

Gln Thr Trp Thr Asp Leu Thr Gly Asn His Ala Ala Ser Val Thr Ile 445 450 455

Ash Gly Asp Gly Trp Gly Glu Phe Phe Thr Ash Gly Gly Ser val Ser 460 465 470 475

Val Tyr Val Asn Gln

<210> 26 1745 <211>

<212> DNA

<213> <220> Bacillus sp.

<221> CDS

(190)..(1692) <222>

<220>

mat\_peptide (253)..()

<221> <222>

<220>

sig\_peptide (190)..(253) 26 <221>

<222>

<400>

aactaagtaa catcgattca ggataaaagt atgcgaaacg atgcgcaaaa ctgcgcaact

60

actagcactc ticagggact aaaccacctt tittccaaaa atgacatcat ataaacaaat

SEQUENCE LISTING ttgtctacca atcactatit aaagctgttt atgatatatg taagcgttat cattaaaagg 180 aggtatttg atg aga aga tgg gta gta gca atg ttg gca gtg tta ttt tta Met Arg Arg Trp Val Val Ala Met Leu Ala Val Leu Phe Leu -20 -15 -10 ttt cct tcg gta gta gtt gca gat gga ttg aac ggt acg atg atg cag Phe Pro Ser Val Val Val Ala Asp Gly Leu Asn Gly Thr Met Met Gln 279 tat tat gag tgg cat ttg gaa aac gac ggg cag cat tgg aat cgg ttg Tyr Tyr Glu Trp His Leu Glu Asn Asp Gly Gln His Trp Asn Arg Leu 15 20 25 327 cac gat gat gcc gca gct ttg agt gat gct ggt att aca gct att tgg His Asp Asp Ala Ala Ala Leu Ser Asp Ala Gly Ile Thr Ala Ile Trp 375 att ccg cca gcc tac aaa ggt aat agt cag gcg gat gtt ggg tac ggt Ile Pro Pro Ala Tyr Lys Gly Asn Ser Gln Ala Asp Val Gly Tyr Gly 45 50 55 423 gca tac gat ctt tat gat tta gga gag ttc aat caa aag ggt act gtt Åla Tyr Asp Leu Tyr Asp Leu Gly Glu Phe Asn Gln Lys Gly Thr Val 60 65 70 471 cga acg aaa tac gga act aag gca cag ett gaa ega get att ggg tee 519 Arg Thr Lys Tyr GTy Thr Lys Ala GTn Leu GTu Arg Ala Tie GTy Ser ctt aaa tot aat gat atc aat gta tac gga gat gtc gtg atg aat cat Leu Lys Ser Asn Asp Ile Asn Val Tyr Gly Asp Val Val Met Asn His 90 95 100 567 ama atg gga gct gat tit acg gag gca gtg caa gct gtt caa gta aat Lys Met Gly Ala Asp Phe Thr Glu Ala Val Gln Ala Val Gln Val Asn 615 cca acg aat cgt tgg cag gat att tca ggt gcc tac acg att gat gcg 663 Pro Thr Asn Arg Trp Glň Ásp 1le Ser Glý Ála Tyr Thr 125 tgg acg ggt ttc gac ttt tca ggg cgt aac aac gcc tat tca gat ttt Trp Thr Gly Phe Asp Phe Ser Gly Arg Asn Asn Ala Tyr Ser Asp Phe 140 145 150 711 aag tgg aga tgg ttc cat ttt aat ggt gtt gac tgg gat cag cgc tat Lys Trp Arg Trp Phe His Phe Asn Gly Val Asp Trp Asp Gln Arg Tyr 759 160 caa gaa aat cat att ttc cgc ttt gca aat acg aac tgg aac tgg cga Gin Glu Asn His Ile Phe Arg Phe Ala Asn Thr Asn Trp Asn Trp Arg 807 gtg gat gaa gag aac ggt aat tat gat tac ctg tta gga tcg aat atc Val Asp Glu Glu Asn Gly Asn Tyr Asp Tyr Leu Leu Gly Ser Asn Ile 190 195 200 855 gac tit agt cat cca gaa gta caa gat gag ttg aag gat tgg ggt agc 903 Asp Phe Ser His Pro Glu Val Gln Asp Glu Leu Lys Asp Trp Gly Ser 205 215 tgg tit acc gat gag tia gat tig gat ggt tat cgt tia gat gct att 951 Trp Phe Thr Asp Glu Leu Asp Leu Asp Gly Tyr Arg Leu Asp Ala Ile ass cat att ccs ttc tgg tat ace tct gat tgg gtt cgg cat cag cgc Lys His Ile Pro Phe Trp Tyr Thr Ser Asp Trp Val Arg His Gln Arg 999 Page 30

SEQUENCE LISTING 245

aac gaa gca gat caa gat tta ttt gtc gta ggg gaa tat tgg aag gat Asn Glu Ala Asp Gln Asp Leu Phe Val Val Gly Glu Tyr Trp Lys Asp 250 265	1047
gac gta ggt gct ctc gaa ttt tat tta gat gaa atg aat tgg gag atg Asp Val Gly Ala Leu Glu Phe Tyr Leu Asp Glu Met Asn Trp Glu Met 270 275 280	1095
tct cta ttc gat gtt cca ctt aat tat aat ttt tac cgg gct tca caa Ser Leu Phe Asp Val Pro Leu Asn Tyr Asn Phe Tyr Arg Ala Ser Gln 285 290 295	1143
Caa ggt gga agc tat gat atg cgt aat att tta cga gga tct tta gta Gîn Gîy Giy Ser Tyr Asp Met Arg Asn Iîe Leu Arg Gîy Ser Leu Vaî 300 305 310	1191
gaa gcg cat ccg atg cat gca gtt acg ttt gtt gat aat cat gat act Glu Ala His Pro Met His Ala Val Thr Phe Val Asp Asn His Asp Thr 315 320 325	1239
cag cca ggg gag tca tta gag tca tgg gtt gct gat tgg ttt aag cca Gln Pro Gly Glu Ser Leu Glu Ser Trp Val Ala Asp Trp Phe Lys Pro 330 345	1287
ctt gct tat gcg aca att ttg acg cgt gaa ggt ggt tat cca aat gta Leu Ala Tyr Ala Thr Ile Leu Thr Arg Glu Gly Gly Tyr Pro Asn val 350 355 360	1335
tit tac ggt gat tac tat gog att cct aac gat aac att tca gct aaa Phe Tyr Gly Asp Tyr Tyr Gly Ile Pro Asn Asp Asn Ile Ser Ala Lys 365 370 375	1383
aaa gat atg att gat gag ctg ctt gat gca cgt caa aat tac gca tat Lys Asp Met Ile Asp Glu Leu Leu Asp Ala Arg Gln Asn Tyr Ala Tyr 380 385 390	1431
ggc acg cag cat gac tat ttt gat cat tgg gat gtt gta gga tgg act Gly Thr Gln His Asp Tyr Phe Asp His Trp Asp Val Val Gly Trp Thr 395 400 405	1479
agg gaa gga tot too too aga cot aat toa ggo oft gog act att atg Arg Glu Gly Ser Ser Ser Arg Pro Asn Ser Gly Leu Ala Thr Ile Met 410 425	1527
tcg aat gga cct ggt ggt tcc aag tgg atg tat gta gga cgt cag aat Ser Asn Gly Pro Gly Gly Ser Lys Trp Met Tyr val Gly Arg Gln Asn 430 435 440	1575
gca gga caa aca tgg aca gat tta act ggt aat aac gga gcg tcc gtt Ala Gly Gln Thr Trp Thr Asp Leu Thr Gly Asn Asn Gly Ala Ser val 445 450 455	1623
aca att aat ggc gat gga tgg ggc gaa ttc ttt acg aat gga gga tct Thr Ile Asn Gly Asp Gly Trp Gly Glu Phe Phe Thr Asn Gly Gly Ser 460 465 470	1671
gta tcc gtg tac gtg aac caa taacaaaaag ccttgagaag ggattcctcc Val Ser Val Tyr Val Asn Gln 475 480	1722
ctaactcaag gctttcttta tgt	1745

<210> 27 <211> 501 <212> PRT

SEQUENCE LISTING <21.3> <u>Bacillus</u> sp. Met Arg Arg Trp Val Val Ala Met Leu Ala Val Leu Phe Leu Phe Pro -20 -15 -10 Glu Trp His Leu Glu Asn Asp Gly Gln His Trp Asn Arg Leu His Asp 15 20 25 Asp Ala Ala Ala Leu Ser Asp Ala Gly Ile Thr Ala Ile Trp Ile Pro 30 40 Pro Ala Tyr Lys Gly Asn Ser Gln Ala Asp val Gly Tyr Gly Ala Tyr 45 55 Asp Leu Tyr Asp Leu Gly Glu Phe Asn Gln Lys Gly Thr Val Arg Thr 60 70 75Lys Tyr Gly Thr Lys Ala Gln Leu Glu Arg Ala Ile Gly Ser Leu Lys 80 85 90 Ser Asn Asp Ile Asn Val Tyr Gly Asp Val Val Met Asn His Lys Met 95 100 105 Gly Ala Asp Phe Thr Glu Ala Val Gln Ala Val Gln Val Asn Pro Thr 110 115 120 Asn Arg Trp Gln Asp lle Ser Gly Ala Tyr Thr lle Asp Ala Trp Thr 125 130 135 Gly Phe Asp Phe Ser Gly Arg Asn Asn Ala Tyr Ser Asp Phe Lys Trp 140 150 155 Arg Trp Phe His Phe Asn Gly Val Asp Trp Asp Gln Arg Tyr Gln Glu 160 165 170 Asn His Ile Phe Arg Phe Ala Asn Thr Asn Trp Asn Trp Arg Val Asp 175 180 185 Glu Glu Asn Gly Asn Tyr Asp Tyr Leu Leu Gly Ser Asn Ile Asp Phe 190 200 Ser His Pro Glu Val Gln Asp Glu Leu Lys Asp Trp Gly Ser Trp Phe 205 210 215

Thr Asp Glu Leu Asp Leu Asp Gly Tyr Arg Leu Asp Ala Ile Lys His 220 235

Ile Pro Phe Trp Tyr Thr Ser Asp Trp Val Arg His Gln Arg Asn Glu 240 245 250

## SEQUENCE LISTING

Ala Asp Gin Asp Leu Phe Val Val Gly Glu Tyr Trp Lys Asp Asp Val 255 265

Gly Ala Leu Glu Phe Tyr Leu Asp Glu Met Asn Trp Glu Met Ser Leu 270 280

Phe Asp Val Pro Leu Asn Tyr Asn Phe Tyr Arg Ala Ser Gln Gln Gly 285 290 295

Gly Ser Tyr Asp Met Arg Asn Ile Leu Arg Gly Ser Leu Val Glu Ala 300 315 310

His Pro Met His Ala Val Thr Phe Val Asp Asn His Asp Thr Gln Pro 320 325 330

Gly Glu Ser Leu Glu Ser Trp Val Ala Asp Trp Phe Lys Pro Leu Ala 335 340 345

Tyr Ala Thr Ile Leu Thr Arg Glu Gly Gly Tyr Pro Asn Val Phe Tyr 350 360

Gly Asp Tyr Tyr Gly Ile Pro Asn Asp Asn Ile Ser Ala Lys Lys Asp 365 370 375

Met Ile Asp Glu Leu Leu Asp Ala Arg Gln Asn Tyr Ala Tyr Gly Thr 380 390 395

Gln His Asp Tyr Phe Asp His Trp Asp Val Val Gly Trp Thr Arg Glu 400 410

Gly Ser Ser Ser Arg Pro Asn Ser Gly Leu Ala Thr Ile Met Ser Asn 420 425

Gly Pro Gly Gly Ser Lys Trp Met Tyr Val Gly Arg Gln Asn Ala Gly 430 440

Gln Thr Trp Thr Asp Leu Thr Gly Asn Asn Gly Ala Ser Val Thr Ile 445 450 455

Asn Gly Asp Gly Trp Gly Glu Phe Phe Thr Asn Gly Gly Ser val Ser 460 465 470 475

Val Tyr Val Asn Gln 480

<210> 28

<211> 1920

<212> DNA

<213> Bacillus licheniformis

<220>

<221> CDS

<222> (421)..(1872)

SEQUENCE LISTING

<40	•••	28								E LL						
															atgegg	60
gag	acgg	aaa	aatc	gtct	ta a	tgca	cgat	a tt	tatg	caac	gtt	cgca	gat	gctg	ctgaag	120
aga	ttat	taa	aaag	ctga	aa g	caaa	aggc:	t at	caat	tggt	aac	tgta	tct	cage	ttgaag	180
aag	tgaa	gaa	gcag	agag	gc t	attg	aata	a at	gagt	agaa	gcg	ccat	atc	ggcg	cttttc	240
ttt	tgga	aga	aaat	atag	gg a	aaat	ggta	ctt	gtta	aaaa	ttc	ggaa	tat	ttat	acaaca	300
tca	tatg	ttt	caca	ttga	aa g	ggga	ggag	a at	catg	aaac	aac	aaaa	acg	gctt	tacgcc	360
cga	ttgc	tga	cgct	gtta	tt t	gcgc	tcat	c tt	cttg	ctgc	ctc	artc	tgc	agca	gcggcg	420
gca Ala 1	aat Asn	ctt Leu	aat Asn	999 61y 5	acg Thr	ctg Leu	atg Met	cag Gln	tat Tyr 10	ttt Phe	gaa Glu	tgg Trp	tac Tyr	atg Met 15	ccc Pro	468
aat Asn	gac Asp	ggc Gly	caa Gln 20	cat His	tgg Trp	agg Arg	cgt Arg	ttg Leu 25	caa Gln	aac Asn	gac Asp	tcg Ser	gca Ala 30	tat Tyr	ttg Leu	516
gct Ala	gaa Glu	cac His 35	ggt Gly	att Ile	act Thr	gcc Āla	gtc Val 40	tgg Trp	att Ile	ccc Pro	ccg Pro	gca Ala 45	tat Tyr	aag Lys	gga Gly	564
acg Thr	agc Ser 50	caa Gln	gcg Ala	gat Asp	gtg Val	ggc Gly 55	tac Tyr	ggt Gly	gct Ala	tac Tyr	gac Asp 60	ctt Leu	tat Tyr	gat Asp	tta Leu	612
999 G1y 65	gag Glu	ttt Phe	cat His	caa Gln	aaa Lys 70	ggg Gly	acg Thr	gtt Val	cgg Arg	aca Thr 75	aag Lys	tac Tyr	ggc 61y	aca Thr	aaa Lys 80	660
gga Giy	gag Glu	ctg Leu	caa Gln	tct Ser 85	gcg Ala	atc Ile	aaa Lys	agt Ser	ctt Leu 90	cat His	tcc Ser	cgc Arg	gac Asp	att Ile 95	aac Asn	708
gtt Val	tac Tyr	ggg Gly	gat Asp 100	gtg Val	gtc Val	atc Ile	aac Asn	cac His 105	aaa Lys	ggc Gly	ggc Gly	gct Ala	gat Asp 110	gcg Ala	acc Thr	756
gaa Glu	gat Asp	gta val 115	acc Thr	gcg Ala	ott Val	gaa Glu	gtc Val 120	gat Asp	ccc Pro	gct Ala	gac Asp	cgc Arg 125	aac Asn	cgc Arg	gta Val	804
att Ile	tca ser 130	gga Gly	gaa Glu	cac His	cta Leu	att Ile 135	aaa Lys	gcc Ala	tgg Trp	aca Thr	cat His 140	ttt Phe	cat His	ttt Phe	ccg Pro	852
999 61y 145	cgc Arg	ggc Gly	agc Ser	aca Thr	tac Tyr 150	agc Ser	gat Asp	ttt Phe	aaa Lys	tgg Trp 155	cat His	tgg Trp	tac Tyr	cat Hís	ttt Phe 160	900
gac Asp	gga Gly	acc Thr	gat Asp	tgg Trp 165	gac Asp	gag Glu	tcc ser	cga Arg	aag Lys 170	ctg Leu	aac Asn	cgc Arg	atc Ile	tat Tyr 175	aag Lys	.948
ttt Phe	caa Gln	gga Gly	aag Lys 180	gct Āla	tgg Trp	gat Asp	tgg Trp	gaa Glu 185	gtt Val	tcc Ser	aat Asn	gaa Glu	aac Asn 190	gac Gly	aac Asn	996
tat Tyr	gat Asp	tat Tyr 195	ttg Leu	atg Met	tat Tyr	gcc Ala	gac Asp 200	atc Ile	gat Asp	tat Tyr	gac Asp	cat His 205	cct Pro	gat Āsp	gtc Val	1044
gca	gca	gaa	att	aag	aga	tgg	ggc	act		tat e 34	gcc	aat	gaa	ctg	caa	1092

εľΔ	.A3 m	e in	Tão	3.520	Ano		@\$\/	SEQ	UENC	E LI	STIN	IG	ير لا نير .	v	~Y	
79.3 X	210	0111	J. 3 C	Lys	w. a	215	asy	1111	ijķ	£À3:	220		o i u	ı.eu	Gln	
ttg Leu 225	gac Asp	got	ttc Phe	cgt Arg	ctt Leu 230	ASD	gct Ala	gtc Val	aaa Lys	cac His 235	att	aaa Lys	ttt	tct Ser	ttt Phe 240	1140
ttg Leu	cgg Arg	gat Asp	tgg Trp	gtt Val 245	aat Asn	cat His	gtc Val	agg Arg	gaa G1u 250	aaa Lys	acg Thr	ggg	aag Lys	gaa G1u 255	atg Met	1188
ttt Phe	acg Thr	gta Val	gct Ala 260	gaa Glu	tat Tyr	tgg Trp	cag Gln	aat Asn 263	gac Asp	ttg Leu	gac Gly	gcg Ala	ctg Leu 270	gaa Glu	aac Asn	1236
tat Tyr	ttg Leu	aac Asn 275	aaa Lys	aca Thr	aat Asn	ttt Phe	aat Asn 280	cat His	tca Ser	gto Val	ttt Phe	gac Asp 285	gtg Val	ccg Pro	ctt Leu	1284
cat His	tat Tyr 290	cag Gln	ttc Phe	cat His	gct Ala	gca Ala 295	tcg Ser	aca Thr	cag Gln	gga Gly	99c 61y 300	ggc Gly	tat Tyr	gat Asp	atg Met	1332
agg Arg 305	aaa Lys	ttg Leu	ctg Leu	aac Asn	ggt 61y 310	acg Thr	gtc Val	gtt Val	tcc Ser	aag Lys 315	cat His	ccg Pro	ttg Leu	aaa Lys	tcg Ser 320	1380
gtt Val	aca Thr	ttt Phe	gtc Val	gat Asp 325	aac Asn	cat His	gat Asp	aca Thr	cag 61n 330	ccg Pro	ggg Gly	caa Gln	tcg Ser	ctt Leu 335	gag Glu	1428
tcg Ser	act Thr	gtc Val	caa Gln 340	aca Thr	tgg Trp	ttt Phe	aag Lys	ccg Pro 345	ctt Leu	gct Ala	tac Tyr	gct Ala	ttt Phe 350	att Ile	ctc Leu	1476
aca Thr	agg Arg	gaa Glu 355	tct Ser	gga Gly	tac Tyr	cct Pro	cag Gln 360	gtt Val	ttc Phe	tac Tyr	ggg Gly	gat Asp 365	atg Met	tac Tyr	ggg Gly	1524
acg Thr	aaa Lys 370	gga Gly	gac Asp	tcc Ser	cag Gln	cgc Arg 375	gaa Glu	att	cct Pro	gcc Ala	ttg Leu 380	aaa Lys	cac His	aaa Lys	att Ile	1572
gaa Glu 385	ccg Pro	atc Ile	tta Leu	aaa Lys	gcg Ala 390	aga Arg	aaa Lys	cag Gln	tat Tyr	909 Ala 395	tac Tyr	gga 61y	gca Ala	cag Gln	cat His 400	1620
gat Asp	tat Tyr	ttc Phe	gac Asp	cac His 405	cat His	gac Asp	att Ile	gtc Val	ggc 61y 410	tgg Trp	aca Thr	agg Arg	gaa Glu	ggc Gly 415	gac Asp	1668
agc ser	tcg Ser	gtt Val	9ca A1a 420	aat Asn	tca ser	ggt Gly	ttg Leu	gcg Ala 425	gca Ala	tta Leu	ata Ile	aca Thr	gac Asp 430	gga Gly	ccc Pro	1716
ggt Gly	ggg Gly	gca Ala 435	aag Lys	cga Arg	atg Met	tat Tyr	gtc val 440	ggc Gly	cgg Arg	caa Gìn	aac Asn	gcc Ala 445	ggt Gly	gag Glu	aca Thr	1764
tgg Trp	cat His 450	gac Asp	att Ile	acc Thr	gga Gly	aac Asn 455	cgt Arg	tcg Ser	gag Glu	ccg Pro	gtt Val 460	gtc Val	atc Ile	aat Asn	tcg Ser	1812
gaa Glu 465	ggc Gly	tgg Trp	gga Gly	gag Glu	ttt Phe 470	cac His	gta Val	aac Asn	ggc Gly	999 G1y 475	tcg Ser	gtt Val	tca Ser	att Ile	tat Tyr 480	1860
gtt	caa	aga	tag	aags	ıgcaç	iag a	ggac	:ggat		ictga e 35	lagga	ı aat	ccgt	ittt		1912

WO 62/16355 PCT/DK61/06488

Val Gln Arg SEQUENCE LISTING

tttatttt 1920